

# **REFERENCES AND RESOURCES**

## **NSF Approved Supplements**

[www.nsf sport.com/listings/certified\\_products.asp](http://www.nsf sport.com/listings/certified_products.asp)

## **NCAA Banned Substance List**

[www.ncaa.org/wps/wcm/connect/public/NCAA/Health+and+Safety/  
Drug+Testing/Resources](http://www.ncaa.org/wps/wcm/connect/public/NCAA/Health+and+Safety/Drug+Testing/Resources)

## **WADA Prohibited List**

[www.wada-ama.org/en/World-Anti-Doping-Program/Sports-and-  
Anti-Doping-Organizations/International-Standards/Prohibited-List](http://www.wada-ama.org/en/World-Anti-Doping-Program/Sports-and-Anti-Doping-Organizations/International-Standards/Prohibited-List)

**Chapter 1**

- Ahlborg B, Bergstrom J, Brohult J, Ekelund LG, Maschio G. Human muscle glycogen content and capacity for prolonged exercise after different diets. *Forsvarmedicin*. 1967; 3: 85-99.
- Burns RD, Schiller MR, Merrick MA, Wolf KN. Intercollegiate student athlete use of nutritional supplements and the role of athletic trainers and dietitians in nutrition counseling. *Journal of the American Dietetic Association*. 2004; 104: 246-249.
- Centers for Disease Control and Prevention (CDC), National Center for Health Statistics (NCHS). Dietary supplement use among persons 20 years of age and over, by selected characteristics: United States, selected years 1988–1994 through 2005–2008. *National Health and Nutrition Examination Survey*. 2011.
- CNN Health (Park M). *Half of Americans use supplements*. [www.cnn.com/2011/HEALTH/04/13/supplements.dietary/index.html](http://www.cnn.com/2011/HEALTH/04/13/supplements.dietary/index.html). 2011.
- Froiland K, Koszewski W, Hingst J, Kopecky L. Nutritional supplement use among college athletes and their sources of information. *International Journal of Sports Nutrition and Exercise Metabolism*. February 2004; 14(1): 104-120.
- Getz J, Adhikari K, Medeiros DM. Nutrigenomics and public health. *Food Technology*. 2010; 64 (1): 28-33.
- Geyer H, Parr MK, Koehler K, Mareck U, Schänzer W, Thevis M. Nutritional supplements cross-contaminated and faked with doping substances. *Journal of Mass Spectrometry*. July 2008; 43 (7): 892-902.
- Geyer H, Parr MK, Mareck U, Reinhart U, Schrader Y, Schänzer W. Analysis of non-hormonal nutritional supplements for anabolic-androgenic steroids: Results of an international study. *International Journal of Sports Medicine*. February 2004; 25(2): 124-9.
- Heikkinen A, Alaranta A, Helenius I, Vasankari T. Use of dietary supplements in Olympic athletes is decreasing: A follow-up study between 2002 and 2009. *Journal of the International Society of Sports Nutrition*. February 2011; 8(1): 1.
- Huang SH, Johnson K, Pipe AL. The use of dietary supplements and medications by Canadian athletes at the Atlanta and Sydney Olympic Games. *Clinical Journal of Sports Medicine*. January 2006; 16(1): 27-33.
- Judkins C, Prock P. Supplements and inadvertent doping: How big is the risk to athletes. *Medicine and Sport Science*. 2013; 59: 143-152.

## References

- Martello S, Felli M, Chiarotti M. Survey of nutritional supplements for selected illegal anabolic steroids and ephedrine using LC-MS/MS and GC-MS methods, respectively. *Food Additives and Contaminants*. March 2008; 24(3): 258-265.
- Maughan, Ronald J., ed. Sports Nutrition: What Is It? *Journal of Nutrition & Physical Activity*. 2001; 17. Elsevier Science Inc. 25 Mar. 2009.
- Mitchell GJ (DLA Piper Law Firm). Use of performance-enhancing drugs in Major League Baseball. *Office of the Commissioner of Baseball*. December 2007; 1-409.
- William Reed Business Media (Starling S, ed.). Market investigation reveals Amazon.com selling illegal steroids. [www.nutraingredients-usa.com/Industry/Market-investigation-reveals-Ama-zon.com-selling-illegal-steroids](http://www.nutraingredients-usa.com/Industry/Market-investigation-reveals-Ama-zon.com-selling-illegal-steroids). 2011.

### Chapter 2

- Baechle TR, Roger W. Earle. *Essentials of strength training and conditioning*. Champaign, IL: Human Kinetics, 2008, 21-139.
- Gleeson, M. Immune function in sport and exercise. *Journal of Applied Physiology*. 2007; 103: 93-699.
- Kraemer, WJ, Ratamess, NA. Hormonal responses and adaptations to resistance exercise and training. *Sports Medicine*. 2005; 35(4): 339-361.
- Nieman, D. Immunonutrition support for athletes. *Nutrition Reviews*. 2008; 66(6): 310-320.
- Walsh NP, Gleeson M, Pyne DB, Nieman DC, Dhabhar FS, Shephard RJ, Oliver SJ, Bermon S, Kajeniene A. Position statement part two: Maintaining immune health. *Exercise Immunology Review*. 2011; 17: 64-103.
- Walsh NP, Gleeson M, Shephard RJ, Gleeson M, Woods JA, Bishop NC, Fleshner M, Green C, Pedersen BK, Hoffman-Goetz L, Rogers CJ, Northoff H, Abbasi A, Simon P. Position statement part one: Immune function and exercise. *Exercise Immunology Review* 2011; 17: 6-63.

### Chapter 3

#### **Acai Berry**

- Holderness J, Schepetkin IA, Freedman B, Kriptina LN, Quinn MT, Hedges JF, Jutila MA. Polysaccharides isolated from acai fruit induce innate immune responses. *PLoS One*. 2011; 2: 1-14.
- Mertens-Talcott SU, Rios J, Jilma-Stohlawetz P, et al. Pharmacokinetics of anthocyanins and antioxidant effects after the consumption of anthocyanin-rich açai juice and pulp (*Euterpe oleracea* Mart.) in human healthy volunteers. *Journal of Agricultural and Food Chemistry*. September 2008; 56(17): 796–802. doi:10.1021/jf8007037. PMID 18693743.

#### **Acetyl-L-Carnitine (ALC or ALCAR)**

- Acetyl-L-Carnitine Monograph. *Alternative Medicine Review*. 2010; 15(1): 76-83.
- Kobayashi S, Iwamoto M, Kon K, Waki H, Ando S, Tanaka Y. Acetyl-L-carnitine improves aged brain function. *Geriatrics Gerontology International*. 2010; 10(Suppl 1): S99-S106.
- Scafidi S, Fiskum, Lindauer S, Bamford P, Shi D, Hopkins I, McKenna M. Metabolism of acetyl-L-carnitine for energy and neurotransmitter synthesis in the immature rat brain. *Journal of Neurochemistry*. 2010; 114: 820-831

**Acetylcysteine**

- Cobley JN, McGlory C, Morton JP, Close GL. N-acetylcysteine's attenuation of fatigue after repeated bouts of intermittent exercise: practical implications for tournament situations. *International Journal of Sports Nutrition and Exercise Metabolism*. December 2011; 21(6): 451-461.
- Ferreira LF, Ashley LA, Reid MB. N-acetylcysteine delays fatigue of mouse diaphragm in vitro, but not soleus or EDL muscles. *Medicine & Science in Sports & Exercise*. May 2008; 40(5): S76.
- Ferreira LF, Campbell KS, Reid MB. Effectiveness of sulfur-containing antioxidants in delaying skeletal muscle fatigue. *Medicine & Science in Sports & Exercise*. June 2011; 43(6): 1025-1031.
- Kelly MK, Wicker RJ, Barstow TJ, Harms CA. The effects of N-acetylcysteine on respiratory muscle fatigue during heavy exercise. *Medicine & Science in Sports & Exercise*. May 2008; 40(5): S304.
- Kerksick CM, Kreider RB, Willoughby DS. Intramuscular adaptations to eccentric exercise and antioxidant supplementation. *Amino Acids*. June 2010; 39(1): 219-232.
- Leelarungrayub KR, Pothongsunun P, Klaphajone J. N-acetylcysteine supplementation controls total antioxidant capacity, creatine kinase, lactate, and tumor necrotic factor- $\alpha$  against oxidative stress induced by graded exercise in sedentary men. *Oxidative Medicine and Cellular Longevity*. 2011; 2011: 329643.
- Medved I, Brown MJ, Bjorksten AR, Murphy KT, Petersen AC, Sostaric S, Gong X, McKenna MF. N-acetylcysteine enhances muscle cysteine and glutathione availability and attenuates fatigue during prolonged exercise in endurance-trained individuals. *Journal of Applied Physiology*. October 2004; 97(4): 1477-1485.
- Peternelj TT, Coombes JS. Antioxidant supplementation during exercise training: beneficial or detrimental? *Sports Medicine*. December 2011; 41(12): 1043-1069.
- Wicker RJ, Kelly MK, Harms CA, Barstow TJ. The effects of N-acetylcysteine on oxygen uptake kinetics during heavy exercise. *Medicine & Science in Sports & Exercise*. May 2008; 40(5): S304.

**Alpha-Lipoic Acid**

- Atalay M, Kinnunen S, Oksala N, Hyyppa S, Radak Z, Szabo B, Jakus J, Sen CK. Alpha-lipoic acid attenuates exercise-induced oxidative stress and enhances heat shock protein responses. *Medicine & Science in Sports & Exercise*. 2009; 41(5): 104-105.
- Burke DG, Chilibeck PD, Parise G, Tarnopolsky MA, Candow DG. Effect of alpha-lipoic acid combined with creatine monohydrate on human skeletal muscle creatine and phosphagen concentration. *International Journal of Sports Nutrition and Exercise Metabolism*. September 2003; 13(3): 294-302.
- Saengsirisuwan V, Perez FR, Sloniger JA, Maier T, Henriksen EJ. Interactions of exercise training and  $\alpha$ -lipoic acid on insulin signaling in skeletal muscle of obese Zucker rats. *American Journal of Physiology, Endocrinology, and Metabolism*. 2004; 287(3): E529-E536.
- Smith JR, Thiagaraj HV, Seaver B, Parker KK. Differential activity of lipoic acid enantiomers in cell culture. *Journal of Herbal Pharmacology*. 2005; 5(3): 43-54.

## References

- Streeper RS, Henriksen EJ, Jacob S, Hokama JY, Fogt DL, Tritschler HJ. Differential effects of lipoic acid stereoisomers on glucose metabolism in insulin-resistant skeletal muscle. *American Journal of Physiology*. July 1997; 273(1 Pt 1): E185-91.
- Strobel NA, Peake JM, Masumoto A, Marsh SA, Coombes JS, Wadley GD. Antioxidant supplementation reduces skeletal muscle mitochondrial biogenesis. *Medicine & Science in Sports and Exercise*. 2011; 43(6): 1017-1024.
- Want Y, Li X, Guo Y, Chan L, Guan X. Alpha-lipoic acid increases energy expenditure by enhancing adenosine monophosphate-activated protein kinase-peroxisome proliferator-activated receptor-gamma coactivator-1alpha signaling in the skeletal muscle of aged mice. *Metabolism*. 2010; 59(7): 967-976.
- Zembron-Lacny A, Slowinska-Lisowska M, Szygula Z, Witkowski K, Stefaniak T, Dziubek W. Assessment of the antioxidant effectiveness of alpha-lipoic acid in healthy mean exposed to muscle-damaging exercise. *Journal of Physiological Pharmacology*. June 2009; 60(2): 139-143.

### **Arginine**

- Alvares, TS, CM Meirelles, YN Bhambhani, VM, Paschoalin, PS Gomes. L-arginine as a potential ergogenic aid in healthy subjects. *Sports Medicine*. 2011; 41(3): 233-248.
- Bloomer R, Farney T, Trepanowski J, McCarthy C, Canale R, Schilling B. Comparison of pre-workout nitric oxide stimulating dietary supplements on skeletal muscle oxygen saturation, blood nitrate/nitrite, lipid peroxidation, and upper body exercise performance in resistance trained men. *Journal of the International Society of Sports Nutrition*. 2010; 7(16): 1-15.
- Camic CL, Housh TJ, Zuniga JM, Hendrix RC, Mielke M, Johnson GO, Schmidt RJ. Effects of arginine-based supplements on the physical working capacity at the fatigue threshold. *Journal of Strength and Conditioning Research*. May 2010; 24(5): 1306-1312.
- Campbell BI, La Bounty PM, Roberts M. The ergogenic potential of arginine. *Journal of the International Society of Sports Nutrition*. 2004; 1(2): 35-38.
- Collier SR, Collins E, Kanaley JA. Oral arginine attenuates the growth hormone response to resistance exercise. *Journal of Applied Physiology*. 2006; 101: 848-852.
- Kanaley JA. Growth hormone, arginine and exercise. *Current Opinion in Clinical Nutrition and Metabolic Care*. 2008; 11: 50-54.
- Liu TH, Wu CL, Chiang CW, Lo YW, Tseng HF, Chang CK. No effect of short-term arginine supplementation on nitric oxide production, metabolism and performance in intermittent exercise in athletes. *Journal of Nutritional Biochemistry*. 2009; 20: 462-68.
- Paddon-Jones D, Borsheim E, Wolfe RR. Arginine metabolism: Enzymology, nutrition, and clinical significance. *Journal of Nutrition*. 2004: 2888S-2894S.
- Zajac A, Poprzecki S, Zebrowska A, Chalimoniuk M, Langfort J. Arginine and ornithine supplementation increases growth hormone and insulin-like growth factor-1 serum levels after heavy-resistance exercise in strength-trained athletes. *Journal of Strength and Conditioning Research*. 2010; 24(4): 1082-90.

### **Aspartates**

- Abel T, Knechtle B, Perret C, Esser P, von Arx P, Knecht H. Influence of chronic supplementation of arginine aspartate in endurance athletes on performance

- and substrate metabolism: A randomized, double-blind, placebo-controlled study. *International Journal of Sports Medicine*. June 2005; 26(5): 344-349.
- Colombani PC, Bitzi R, Frey-Rindova P, Frey W, Arnold M, Langhans W, Wenk C. Chronic arginine aspartate supplementation in runners reduces total plasma amino acid level at rest and during a marathon run. *European Journal of Nutrition*. December 1999; 38(6): 263-270.
- Olney JW, Labruyere J, de Gubareff T. Brain damage in mice from voluntary ingestion of glutamate and aspartate. *Neurobehavioral Toxicology*. 1980; 2(2): 125-129.
- Parisi A, Quaranta F, Masala D, Fagnani F, Di Salvo V, Casasco M, Pigozzi F. Do aspartate and asparagine acute supplementation influence the onset of fatigue in intense exercise? *Journal of Sports Medicine and Physical Fitness*. December 2007; 47(4): 422-6.
- Astragalus**
- Chen KT, Su CH, Hsin LH, et al. Reducing fatigue of athletes following oral administration of Huangqi Jianzhong Tang. *Acta Pharmacologica Sinica*. August 2002; 23(8): 757-61.
- Clark DA. An observation of a double blind placebo controlled study monitoring healthy athletes consuming a commercial preparation of nutraceuticals. *Australian Journal of Medical Herbalism*. 2007; 19(3): 112-13.
- Clark DA, Adams MC. Using commercial nutraceutical mixes as immune stimulants: An in vitro proliferation study using Metabolic Cell-Support TM on non-stimulated human lymphocytes. *Australian Journal of Medical Herbalism*. 2007; 19(3): 108-11.
- Liu Y, Zhang HG, Li XH. A Chinese herbal decoction, Danggui Buxue Tang, improves chronic fatigue syndrome induced by food restriction and forced swimming in rats. *Phytotherapy Research*. December 2011; 25(12): 1825-32. doi:10.1002/ptr.3499. [Epub 2011 Apr 15]
- Avocado Soybean Unsaponifiables (ASU)**
- Altinel L, Sahin O, Kose KC, Bas O, Ozen OA, Saritas ZK, Pamuk K. Healing of osteochondral defects in canine knee with avocado/soybean unsaponifiables: A morphometric comparative analysis. *Joint Diseases and Related Surgery*. 2011; 22(1): 48-53.
- Altinel L, Saritas ZK, Kose KC, Pamuk K, Aksoy Y, Serteser M. Treatment with unsaponifiable extracts of avocado and soybean increases TGF- $\beta_1$  and TGF- $\beta_2$  levels in canine joint fluid. *Tohoku Journal of Experimental Medicine*. 2007; 211(2): 181-86.
- Boileau C, Martel-Pelletier J, Caron J, Msika P, Guillou GB, Baudouin C, Pelletier J-P. Protective effects of total fraction of avocado/soybean unsaponifiables on the structural changes in experimental dog osteoarthritis: Inhibition of nitric oxide synthase matrix metalloproteinase-13. *Arthritis Research & Therapy*. 2009; 11(2): R41.
- Boumediene K, Felisaz N, Bogdanowicz P, Galera P, Guillou GB, Pujol JP. Avocado/soya unsaponifiables enhance the expression of transforming growth factor 1 and 2 in cultured articular chondrocytes. *Arthritis & Rheumatism*. 1999; 42(1): 148-56.
- Christensen R, Bartels EM, Astrup A, Bliddal H. Symptomatic efficacy of avocado-soybean unsaponifiables (ASU) in osteoarthritis (OA) patients: A meta-analysis of randomized controlled trials. *Osteoarthritis and Cartilage*. 2008; 16(4): 399-408.

Ernst E. Avocado-soybean unsaponifiables (ASU) for osteoarthritis: A systematic review. *Clinical Rheumatology*. 2003; 2: 285-88.

Lequesne M, Maheu C, Cadet R, Dreiser L. Structural effect of avocado/soybean unsaponifiables on joint space loss in osteoarthritis of the hip. *Arthritis Care Research*. 2002; 47: 50-58.

### **Beetroot**

Bailey SJ, Winyard P, Vanhatalo A, Blackwell JR, Dimenna FJ, Wilkerson DP, Tarr J, Benjamin N, Jones AM. Dietary nitrate supplementation reduces the O<sub>2</sub> cost of low-intensity exercise and enhances tolerance to high-intensity exercise in humans. *Journal of Applied Physiology*. 2009; 107(4): 1144-1155.

Hord NG, Tang Y, Bryan NS. Food sources of nitrates and nitrites: the physiological context for potential health benefits. *American Journal of Clinical Nutrition*. July 2009; 90: 1-10.

Lansley KE, Winyard PG, Bailey SJ, Vanhatalo A, Wilkerson DP, Blackwell JR, Gilchrist M, Benjamin N, Jones AM. Acute dietary nitrate supplementation improves cycling time trial performance. *Medicine & Science in Sports & Exercise*. 2011a; 43(6): 1125-1131.

Lansley KE, Winyard PG, Fulford J, Vanhatalo A, Bailey SJ, Blackwell JR, DiMenna FJ, Gilchrist M, Benjamin N, Jones AM, et al. Dietary nitrate supplementation reduces the O<sub>2</sub> cost of walking and running: A placebo-controlled study. *Journal of Applied Physiology*. 2011b; 110(3): 591-600.

Wilkerson DP, Hayward GM, Bailey SJ, Vanhatalo A, Blackwell JR, Jones AM. Influence of acute dietary nitrate supplementation on 50 mile time trial performance in well-trained cyclists. *European Journal of Applied Physiology*. December 2012; 112(12): 4127-4134.

### **Beta-Alanine**

Baguet A, Bourgois J, Vanhee L, Achten E, Derave W. Important role of muscle carnosine in rowing performance. *Journal of Applied Physiology*. October 2010; 109(4): 1096-1101.

Hobson RM, Saunders B, Ball G, Harris RC, Sale C. Effects of β-alanine supplementation on exercise performance: A meta-analysis. *Amino Acids*. July 2012; 43(1): 25-37.

Saunders B, Sunderland C, Harris RC, Sale C. B-alanine supplementation improves yoyo intermittent recovery test performance. *Journal of the International Society of Sports Nutrition*. August 2012; 9(1): 39.

Smith-Ryan AE, Fukuda DH, Stout JR, Kendall KL. High-velocity intermittent running: Effects of beta-alanine supplementation. *Journal of Strength and Conditioning Research*. October 2012; 26(10): 2798-2805.

### **Beta-Carotene**

Bjelakovic G, Nikolova D, Glluud LL, Simonetti RG, Gluud C. Antioxidant supplements for prevention of mortality in healthy participants and patients with various diseases. *Cochrane Database of Systematic Reviews (Online)*. March 2012; 3: CD007176. doi: 10.1002/14651858.CD007176.pub2.

Peters EM, Goclszsch JM, Joseph LE, Noakes TD. Antioxidant nutrient supplementation and symptoms of upper-respiratory tract infections in endurance athletes. *Medicine & Science in Sports & Exercise*. 1994; 26(5): S218.

## References

- Robson PJ, Bouic PJ, Myburgh KH. Antioxidant supplementation enhances neutrophil oxidative burst in trained runners following prolonged exercise. *International Journal of Sports Nutrition & Exercise Metabolism*. September 2003; 13(3): 369-381.
- Ross AC. Vitamin A and retinoic acid in T-cell related immunity. *American Journal of Clinical Nutrition*. November 2012; 96(5): 1166S-1172S.
- Tauler P, Aguilo A, Gimeno I, Fuentespina E, Tur JA, Pons A. Response of blood cell antioxidant defenses to antioxidant diet supplementation and to intense exercise. *European Journal of Nutrition*. June 2006; 45(4): 187-195.
- Teixeira VH, Valente HF, Casal SI, Marques AF, Moreira PA. Antioxidants do not prevent postexercise peroxidation and may delay muscle recovery. *Medicine & Science in Sports & Exercise*. September 2009a; 41(9): 1752-1760.
- Teixeira V, Valente H, Casal S, Marques F, Moreira P. Antioxidant status, oxidative stress, and damage in elite trained kayakers and canoeists and sedentary controls. *International Journal of Sports Nutrition & Exercise Metabolism*. October 2009b; 19(5): 443-456.
- Wood SM, Beckham C, Yosioka A, Darban H, Watson RR. Beta-carotene and selenium supplementation enhances immune response in aged humans. *Integrative Medicine*. March 2000; 2(2): 85-92.
- Beta Glucan**
- Bobovcak M, Kuniakova R, Gabriz J, Majtan J. Effect of Pleuran ( $\beta$ -glucan from *Pleurotus ostreatus*) supplementation on cellular immune response after intensive exercise in elite athletes. *Applied Physiology, Nutrition, & Metabolism*. December 2010; 35(6): 755-762.
- Carpenter KC, Breslin WL, Davidson T, Adams A, McFarlin BK. Bakers yeast B-glucan supplementation increases monocytes and cytokines post-exercise: implications for infection risk? *British Journal of Nutrition*. May 2012; 10: 1-9.
- Nieman DC, Henson DA, McMahon M, Wrieden JL, Davis JM, Murphy EA, Gross SJ, McAnulty LS, Dumke CL. Beta-glucan, immune function, and upper respiratory tract infections in athletes. *Medicine & Science in Sports & Exercise*. August 2008; 40(8): 1463-1471.
- Talbott S, Talbott J. Effect of beta 1,3/1, 6 glucan on upper respiratory tract infection symptoms and mood state in marathon athletes. *Journal of Sports Science and Medicine*. 2009; 8: 509-515.
- Betaine**
- Armstrong LE, Casa DJ, Roti MW, Lee EC, Craig SA, Sutherland JW, Fiala KA, Maresh CM. Influence of betaine consumption on strenuous running and sprinting in a hot environment. *Journal of Strength Conditioning Research*. May 2008; 22: 851-860.
- Hoffman JR, Ratamess NA, Kang J, Rashti SL. Effect of betaine supplementation on power performance and fatigue. *Journal of the International Society of Sports Nutrition*. 2009; 6: 7.
- Lee EC, Maresh CM, Kraemer WJ, Yamamoto LM, Hatfield DL, Bailey BL, Armstrong LE, Volek JS, McDermott BP, Craig SA. Ergogenic effects of betaine supplementation on strength and power performance. *Journal of the International Society of Sports Nutrition*. July 2010; 7: 27.



Trepanowski JF, Farney TM, McCarthy CG, Schilling BK, Craig SA, Bloomer RJ. The effects of chronic betaine supplementation on exercise performance, skeletal muscle oxygen saturation and associated biochemical parameters in resistance trained men. *Journal of Strength Conditioning Research*. December 2011; 25(12): 3461-3471.

### **Boron**

Devirian TA, Volpe SL. The physiological effects of dietary boron. *Critical Reviews in Food Science and Nutrition*. 2003; 43(2): 219-231.

Ferrando AA, Green NR. The effect of boron supplementation on lean body mass, plasma testosterone levels, and strength in male bodybuilders. *International Journal of Sports Nutrition*. 1993; 3(2): 140-149.

Naghii MR, Mofid M, Asgari AR, Hedayati M, Daneshpour MS. Comparative effects of daily and weekly boron supplementation on plasma steroid hormones and proinflammatory cytokines. *Journal of Trace Elements in Medicine and Biology*. 2011; 25(1): 54-8.

Nielsen FH. Is boron nutritionally relevant? *Nutrition Reviews*. 2008; 66(4): 183-91.

### **Boswellia Serrata**

*Boswellia serrata*. *Alternative Medicine Review*. 2008; 13(2): 165-67.

Ernst E. Frankincense: Systematic review. *British Medical Journal*. December 2008; 337: a2813. doi:10.1136/bmj.a2813.

Sengupta K, Kolla JN, Krishnaraju AV, Yalamanchili N, Rao CV, Golakoti T, Raychaudhuri S, Raychaudhuri SP. Cellular and molecular mechanisms of anti-inflammatory effect of Aflapin: A novel *Boswellia serrata* extract. *Molecular and Cellular Biochemistry*. 2008; 354: 189-97.

### **Branched-Chain Amino Acids (BCAAs)**

Bajotto G, Sato Y, Kitaura Y, Shimomura Y. Effect of branched-chain amino acid supplementation during unloading on regulatory components of protein synthesis in atrophied soleus muscles. *European Journal of Applied Physiology*. 2011; 111: 1815-1828.

Coombes JS, McNaughton LR. Effects of branched-chain amino acid supplementation on serum creatine kinase and lactate dehydrogenase after prolonged exercise. *Journal of Sports Medicine and Physical Fitness*. 2000; 40(3): 240-246.

Jackman SR, Witard OC, Jeukendrup AE, Tipton KD. Branched-chain amino acid ingestion can ameliorate soreness from eccentric exercise. *Medicine & Science in Sports & Exercise*. 2010; 42(5): 962-70.

Koba T, Hamada K, Sakurai M, Matsumoto K, Hayase H, Imaizumi K, Tsujimoto H, Mitsuzono R. Branched-chain amino acids supplementation attenuates the accumulation of blood lactate dehydrogenase during distance running. *Journal of Sports Medicine and Physical Fitness*. 2007; 47(3): 316-22.

Matsumoto K, Mizuno M, Mizuno T, Dilling-Hansen B, Lahoz A, Bertelsen V, Munster H, Jordening H, Hamada K, Doi T. Branched-chain amino acids and arginine supplementation attenuates skeletal muscle proteolysis induced by moderate exercise in young individuals. *International Journal of Sports Medicine*. 2007; 28: 531-38.

Negro M, Giardina S, Marzani B, Marzatico F. Branched-chain amino acid supplementation does not enhance athletic performance but affects muscle recovery

## References

and the immune system. *Journal of Sports Medicine and Physical Fitness*. 2008; 48(3): 347-51.

Shimomura Y, Inaguma A, Watanabe S, Yamamoto Y, Muramatsu Y, Bajotto G, Sato J, Shimomura N, Kobayashi H, Mawatari K. Branched-chain amino acid supplementation before squat exercise and delayed-onset muscle soreness. *International Journal of Sport Nutrition and Exercise Metabolism*. 2010; 20(3): 236-44.

Shimomura Y, Murakami T, Nakai N, Nagasaki M, Harris RA. Exercise promotes BCAA catabolism: Effects of BCAA supplementation on skeletal muscle during exercise. *Journal of Nutrition*. 2004: 1583S-1587S.

Watson P, Shirreffs SM, Maughan RJ. The effect of acute branched-chain amino acid supplementation on prolonged exercise capacity in a warm environment. *European Journal of Applied Physiology*. 2004; 93: 306-14.

### **Bromelain**

Buford, TW, Cooke MB, Redd LL, Hudson GM, Shelmadine BD, Willoughby DS. Protease supplementation improves muscle function after eccentric exercise. *Medicine & Science in Sports & Exercise*. October 2009; 41(10): 1908-1914.

Fitzhugh DJ, Shan S, Dewhirst MW, Hale LP. Bromelain treatment decreases neutrophil migration to sites of inflammation. *Clinical Immunology*. July 2008; 128(1): 66-74.

Maurer HR. Bromelain: Biochemistry, pharmacology and medical use. *Cellular and Molecular Life Sciences*. August 2001; 58(9): 1234-1245.

Muller S, Marz R, Schmolz M, Drewelow B, Eschmann K, Meiser P. Placebo-controlled randomized clinical trial on the immunomodulating activities of low- and high-dose bromelain after oral administration: New evidence on the antiinflammatory mode of action of bromelain. *Phytotherapy Research*. April 2012. doi:10.1002/ptr.4678. [Epub ahead of print]

Stone MB, Merrick MA, Ingersoll CD, Edwards JE. Preliminary comparison of bromelain and ibuprofen for delayed onset muscle soreness management. *Clinical Journal of Sports Medicine*. November 2002; 12(6): 373-378.

### **Caffeine**

Burke LM. Caffeine and sports performance. *Applied Physiology, Nutrition, & Metabolism*. December 2008; 33(6): 1319-1334.

Costill DL, Dalsky GP, Fink WJ. Effects of caffeine ingestion on metabolism and exercise performance. *Medicine & Science in Sports & Exercise*. 1978; 10(3): 155-158.

Cox GR, Desbrow B, Montgomery PG, Anderson ME, Bruce CR, Macrides TA, Martin DT, Moquin A, Roberts A, Hawley JA, Burke LM. Effect of different protocols of caffeine intake on metabolism and endurance performance. *Journal of Applied Physiology*. 2002; 93(3): 990-999.

Del Coso J, Munoz-Fernandez VE, Munoz G, Fernandez-Elias VE, Ortega JF, Hamouti N, Barbero JC, Munoz-Guerra J. Effects of a caffeine-containing energy drink on simulated soccer performance. *PLoS One*. 2012; 7(2): e31380. Epub 2012 Feb 14.

Ganio MS, Klau JF, Casa DJ, Armstrong LE, Maresh CM. Effect of caffeine on sport-specific endurance performance: A systematic review. *Journal of Strength & Conditioning Research*. January 2009; 23(1): 315-324.

## References

Gant , Ali A, Foskett A. The influence of caffeine and carbohydrate coingestion on simulated soccer performance. *International Journal of Sports Nutrition and Exercise Metabolism*. June 2010; 20(3): 191-197.

Hogervorst E, Bandelow S, Schmitt J, Jentijens R, Oliveira M, Allgrove J, Carter T, Gleeson M. Caffeine improves physical and cognitive performance during exhaustive exercise. *Medicine & Science in Sports & Exercise*. October 2008; 40(10): 1841-1851.

Ivy JL, Costill DL, Fink WJ, Lower RW. Influence of caffeine and carbohydrate feedings on endurance performance. *Medicine & Science in Sports & Exercise*. 1979; 11(1): 6-11.

Sokmen B, Armstrong LE, Kraemer WJ, Casa DJ, Dias JC, Judelson DA, Maresh CM. Caffeine use in sports: Considerations for the athlete. *Journal of Strength and Conditioning Research*. May 2008; 22(3): 978-986.

### **Calcium**

Bolland MJ, Grey A, Avenell A, Gamble GD, and Reid IR. Calcium supplements with or without vitamin D and risk of cardiovascular events: Reanalysis of the Women's Health Initiative limited access dataset and meta-analysis. *British Medical Journal*. April 2011; 342: d2040. doi:10.1136/bmj.d2040.

National Institutes of Health: Office of Dietary Supplements. *Dietary supplement fact sheet: Calcium*. <http://ods.od.nih.gov/factsheets/Calcium-Healthprofessional>. 2012.

Major GC, Alarie FP, Dore J, Tremblay A. Calcium plus vitamin D supplementation and fat mass loss in female very-low calcium consumers: Potential link with a calcium-specific appetite control. *British Journal of Nutrition*. 2009; 101: 659-63.

Patel DS, Roth M, Kapil N. Stress fractures: Diagnosis, treatment and prevention. *American Family Physician*. 2011; 83(1): 39-46.

Rabenda V, Bruyere O, Reginster J-Y. Relationship between bone mineral density changes and risk of fractures among patients receiving calcium with or without vitamin D supplementation: A meta-regression. *Osteoporosis International*. 2011; 22: 893-901.

Rosenblum JL, Castro VM, Moore CE, Kaplan LM. Calcium and vitamin D supplementation is associated with decreased abdominal visceral adipose tissue in overweight and obese adults. *American Journal of Clinical Nutrition*. 2012; 95: 101-108.

### **Capsicum**

Armstrong EP, Malone DC, McCarberg B, Panarites CJ, Pham SV. Cost-effectiveness analysis of a new 8% capsaicin patch compared to existing therapies for postherpetic neuralgia. *Current Medical Research and Opinion*. May 2011; 27(5): 939-950.

Chrubasik S, Weiser T, Beime B. Effectiveness and safety of topical capsaicin cream in the treatment of chronic soft tissue pain. *Phytotherapy Research*. December 2010; 24(12): 1877-1885.

Kim KS, Kim KN, Hwang KG, Park CJ. Capsicum plaster at the Hegu point reduces postoperative analgesic requirement after orthognathic surgery. *Anesthesia and Analgesia*. March 2009; 108(30): 992-96.

NeurogesX. 2011. Highlights of prescribing information. Qutenza 8% Capsaicin patches. [www.qutenza.com/\\_docs/qutenza\\_full\\_PI\\_.pdf](http://www.qutenza.com/_docs/qutenza_full_PI_.pdf).

## References

Snitker S, Fujishima Y, Shen H, Ott S, Pi-Sunyer X, Furuhashi Y, Sata H, Takahashi M. Effects of novel capsinoids treatment on fatness and energy metabolism in humans: Possible pharmacogenetic implications. *American Journal of Clinical Nutrition*. 2009; 89: 45-50.

White, PF. Red-hot chili peppers: A spicy new approach to preventing postoperative pain. *Anesthesia & Analgesia*. July 2008; 107(1): 6-8.

### **Carbohydrates**

Chambers ES, Bridge MW, Jones DA. Carbohydrate sensing in the human mouth: Effects on exercise performance and brain activity. *Journal of Physiology*. 2009; 587: 1779-1794.

Currell K, Jeukendrup AE. Superior endurance performance with ingestion of multiple transportable carbohydrates. *Medicine & Science in Sports & Exercise*. February 2008; 40(2): 275-281.

Décombaz J, Jentjens R, Ith M, Scheurer E, Buehle T, Jeukendrup A, Boesch C. Fructose and galactose enhance postexercise human liver glycogen synthesis. *Medicine & Science in Sports & Exercise*. October 2011; 43(10): 1964-1971.

Jeukendrup AE. Carbohydrate intake during exercise and performance. *Nutrition*. 2004; 20: 669-77.

Jeukendrup AE, Chambers ES. Oral carbohydrate sensing and exercise performance. *Current Opinions in Clinical Nutrition and Metabolic Care*. July 2010; 13(4): 447-451.

Sedlock DA. The latest on carbohydrate loading: A practical approach. *Current Sports Medicine Reports*. July-August 2008; 7(4): 447-451.

Vandernogaerde TJ, Hopkins WG. Effects of acute carbohydrate supplementation on endurance performance: A meta-analysis. *Sports Medicine*. September 2011; 41(9): 773-792.

### **Casein**

Paul GL. The rationale for consuming protein blends in sports nutrition. *Journal of the American College of Nutrition*. 2009; 28(4): 464S-472S.

Reitelseder S, Agergaard J, Doessing S, Helmark I, Lund P, Kristensen N, Frystyk J, Flyvbjerg A, Schjerling P, van Hall G, Kjaer M, and Holm L. Whey and casein labeled with L-[1-<sup>13</sup>C]leucine and muscle protein synthesis: Effect of resistance exercise and protein ingestion. *AJP-Endocrinology and Metabolism*. 2010; 300: E231-E242.

Res PT, Groen B, Pennings B, Beelen M, Wallis G, Gusen A, Senden J, Van Loon L. Protein ingestion before sleep improves postexercise overnight recovery. *Medicine & Science in Sports & Exercise*. 2012; 44(8): 1560-9. doi:10.1249/MSS.0b013e31824cc363.

Wilkinson S, Tarnopolsky M, Macdonald M, McDonald J, Armstrong D, Phillips S. Consumption of fluid skim milk promotes greater muscle protein accretion after resistance exercise than does consumption of an isonitrogenous and isoenergetic soy-protein beverage. *American Journal of Clinical Nutrition*. 2007; 85: 1031-1040.

### **Cat's Claw**

Carvalho MV, Penido C, Siani AC, Valente LMM, Henriques MGMO. Investigations on the anti-inflammatory and anti-allergic activities of the leaves of *Uncaria guianensis* (Aublet) J. F. Gmelin. *Inflammopharmacology*. 2006; 14: 48-56.

## References

Erowele GI, Kalejaiye AO. Pharmacology and therapeutic uses of cat's claw. *American Journal of Health-System Pharmacy*. 2009; 66: 992-995.

Miller MJS, Mehta K, Kunte S, Raut V, Gala J, Dhumale R, Shukla A, Tupallli H, Parikh H, Bobrowski P, Chaudhary J. Early relief of osteoarthritis symptoms with a natural mineral supplement and a herbomineral combination: A randomized controlled trial. *Journal of Inflammation*. 2005; 2(11): 1-14.

Miller MJS, Ahmed S, Bobrowski P, Haqqi T. The chondroprotective actions of a natural product are associated with the activation of IGF-1 production by human chondrocytes despite the presence of IL-1 $\beta$ . *BMC Complementary and Alternative Medicine*. 2006; 6(13): 6-13. Piscoya J, Rodriguez Z, Bustamante SA, Okuhama NN, Miller MJS, Sandoval M. Efficacy and safety of freeze-dried cat's claw in osteoarthritis of the knee: Mechanisms of action of the species *Uncaria guianensis*. *Inflammation Research*. 2001; 50: 442-448.

### **Chia Seeds**

Human Performance Laboratory, Department of Kinesiology, University of Alabama, Auburn, Alabama, USA. tillian@ia.ua.edu

Illian TG, Casey JC, Bishop PA. Omega 3 chia seed loading as a means of carbohydrate loading. *Journal of Strength Conditioning Research*. January 2011; 25(1): 61-65.

### **Chitosan**

Egras AM, Hamilton WR, Lenz TL, Monaghan MS. An evidence-based review of fat modifying supplemental weight loss products. *Journal of Obesity*. 2011; 2011: pii. doi:10.1155/2011/297315.

Jull AB, Ni Mhurchu C, Bennett DA, Dunshea-mooij CAE, Rodgers A. Chitosan for overweight or obesity. *Cochrane Database of Systematic Reviews*. July 2008; 3. doi:10.1002/14651858.CD003892.pub3.

Kaats GR, Michalek JE, Preuss HG. Evaluating efficacy of a chitosan product using a double-blinded, placebo-controlled protocol. *International Journal of Obesity*. 2006; 28(9): 389-394.

Mhurchu CN, Dunshea-Mooij C, Bennett D, Rodgers A. Effect of chitosan on weight loss in overweight and obese individuals: A systematic review of randomized controlled trials. *Obesity Reviews*. 2005; 6(1): 35-42.

### **Choline**

Buchman AL, Jenden D, Roch M. Plasma free, phospholipid-bound and urinary free choline all decrease during a marathon run and may be associated with impaired performance. *Journal of the American College of Nutrition*. 1999; 18(6): 598-601.

Burns JM, Costill DL, Fink WJ. Effects of choline ingestion on endurance performance. *Medicine & Science in Sports & Exercise*. 1988; 20: S25.

Conlay LA, Saboujian LA, Wurtman RJ. Exercise and neuromodulators: Choline and acetylcholine in marathon runners. *International Journal of Sports Medicine*. 1992; 13: S141-142.

Deuster PA, Cooper JA. Choline ingestion does not modify physical or cognitive performance. *Military Medicine*. 2002; 167: 1020-1025.

Penry JT, Manore MM. Choline: An important micronutrient for maximal endurance-exercise performance? *International Journal of Sports Nutrition and Exercise Metabolism*. 2008; 18: 191-203.

## References

Sandage BW, Sabounjian L, White R, Wurtman RJ. Choline citrate may enhance athletic performance. *Physiologist*. 1992; 35: 236.

Sanders LM, Zeisel SH. Choline: Dietary requirements and role in brain development. *Nutrition Today*. 2007; 42(4): 181-186.

Warber JP, Patton JF, Tharion WJ, Zeisel SH, Mello RP, Kemnitz CP. The effects of choline supplementation on performance. *International Journal of Sports Nutrition and Exercise Metabolism*. 2000; 10: 170-181.

### **Chondroitin**

Black C, Clar C, Henderson R, MacEachern C, McNamee P, Quayyum Z, Royle P, Thomas S. The clinical effectiveness of glucosamine and chondroitin supplements in slowing or arresting progression of osteoarthritis of the knee: A systematic review and economic evaluation. *Health Technology Assessment*. 2009; 13(52): 1-48. doi:10.3310/hta13520.

Ho Lee Y, Jin-Hyun-Woo, Choi SJ, Ji, JD Song GG. Effect of glucosamine or chondroitin sulfate on osteoarthritis progression: A meta-analysis. *Rheumatology International*. 2009; 30(3): 357-363.

Sawitzke A, Shi H, Finco M, Dunlop D, Harris C, Singer N, Bradley J, Silver D, Jackson C, Lane N, Oddis C, Wolfe F, Lisse J, Furst D, Bingham C, Reda D, Moskowitz R, Williams J, Clegg D. Clinical efficacy and safety over two years use of glucosamine, chondroitin sulfate, their combination, celecoxib or placebo taken to treat osteoarthritis of the knee: a GAIT report. *Annals of the Rheumatic Diseases*. 2010; 69(8): 1459-1464.

Silva FS, Yoshinari N, Castro R, Girao V, Pompeu M, Feitosa JPA, Rocha F. Combined glucosamine and chondroitin sulfate provides functional and structural benefit in the anterior cruciate ligament transection model. *Clinical Rheumatology*. 2009; 28: 109-117.

Vista ES, Lau CS. What about supplements for osteoarthritis? A critical and evidenced-based review. *International Journal of Rheumatic diseases*. 2011; 14: 152-158.

### **Chromium Picolinate**

Lukaski HC, Bolonchuk W, Siders W, Mine D. Chromium supplementation and resistance training: Effects on body composition, strength and trace element status of men. *American Journal of Clinical Nutrition*. 1996; 63: 954-965.

Pittler MH, Stevinson C, Ernst E. Chromium picolinate for reducing body weight: Meta-analysis of randomized trials. *International Journal of Obesity and Related Metabolic Disorders*. 2003; 27(4): 522-529.

Yazaki Y, Faridi Z, Ma Y, Ali A, Northrup V, Njike VY, Liberti L, Katz D. A pilot study of chromium picolinate for weight loss. *Journal of Alternative and Complementary Medicine*. 2010; 16(2): 291-299.

### **Chrysin**

Brown GA, Vukovich MD, Martini ER, Kohut ML, Franke WD, Jackson DA, King DS. Effects of androstenedione-herbal supplementation on serum sex hormone concentrations in 30- to 59- year-old men. *International Journal of Vitamin, Nutrition, Research*. 2001; 71(5): 293-301.

## References

- Campbell DR, Kurzer MS. Flavonoid inhibition of aromatase enzyme activity in human preadipocytes. *Journal of Steroid Biochemistry Molecular Biology*. 1993; 46(3): 381-388.
- Gambelunghe C, Rossi R, Sommavila M, Ferranti C, Rossi R, Ciculi C, Gizzi S, Micheletti A, Rufini S. Effects of chrysin on urinary testosterone levels in human males. *Journal of Medicinal Food*. 2003; 6(4): 387-390.
- Khoo BY, Chua SL, Balaram P. Apoptotic effects of chrysin in human cancer cell lines. *International Journal of Molecular Science*. 2010; 11: 2188-2199.
- Monterio R, Azevedo I, Calhva C. Modulation of aromatase activity by diet polyphenolic compounds. *Journal of Agricultural and Food Chemistry*. 2006; 54: 3535-3540.
- Saarinen N, Joshi SC, Ahotupa M, Li X, Ammala J, Makela S, Santti R. No evidence for the in vivo activity of aromatase-inhibiting flavonoids. *Journal of Steroid Biochemistry and Molecular Biology*. 2001; 78(3): 231-239.
- Cinnamon**
- Anderson RA. Chromium and polyphenols from cinnamon improve insulin sensitivity. *Proceedings of the Nutrition Society*. 2008; 67: 48-53.
- Couturier K, Batandier C, Awada M, Hininger-Favier I, Banini F, Anderson RA, Leverve X, Rousell AM. Cinnamon improves insulin sensitivity and alters the body composition in animal model of the metabolic syndrome. *Archives of Biochemistry and Biophysics*. 2010; 501: 158-161.
- Davis P, Yokoyama W. Cinnamon intake lowers fasting blood glucose: meta-analysis. *Journal of Medicinal Food*. 2011; 14(9): 884-889.
- Gruenwald J, Freder J, Armbruster N. Cinnamon and health. *Critical Reviews in Food Science and Nutrition*. 2010; 50: 822-834.
- Qin B, Polansky MM, Anderson RA. Cinnamon extract regulates plasma levels of adipose-derived factors and expression of multiple genes related to carbohydrate metabolism and lipogenesis in adipose tissue of fructose-fed rats. *Hormone and Metabolic Research*. 2010; 42(3): 187-193.
- Qin B, Polansky M, Sato Y, Adeli K, Anderson RA. Cinnamon extract inhibits the postprandial overproduction of apolipoprotein B48-containing lipoproteins in fructose-fed animals. *Journal of Nutritional Biochemistry*. 2009; 20: 901-908.
- Vafa, M.Mohammadi F, Shidfar F, Sormaghi M, Heidari I, Golestan B, Amiri F. Effects of cinnamon consumption on glycemic status, lipid profile and body composition in type 2 diabetic patients. *International Journal of Preventive Medicine*. 2012; 3(8): 531-536.
- Ziegenfuss T, Hofheins JE, Mendel RW, Landis J, Anderson RA. Effect of water-soluble cinnamon extract on body composition and features of the metabolic syndrome in pre-diabetic men and women. *Journal of the International Society of Sports Nutrition*. 2006; 3(2): 45-53.
- Citrulline Malate (CM)**
- Bendahan D, Mattei JP, Ghattas B, Confort-Gouny S, Le Guern ME, Cozzone PJ. Citrulline/malate promotes aerobic energy production in human exercising muscle. *British Journal of Sports Medicine*. August 2002; 36(4): 282-289.

## References

Giannesini B, Le Fur Y, Cozzone PJ, Verleye M, Le Guern ME, Bendahan D. Citrulline malate supplementation increases muscle efficiency in rat skeletal muscle. *European Journal of Pharmacology*. September 2011; 667(1-3):100-104.

Pérez-Guisado J, Jakeman PM. Citrulline malate enhances athletic anaerobic performance and relieves muscle soreness. *Journal of Strength Conditioning Research*. April 2010. doi: 10.1519/JSC.0b013e3181cb28e0.

Sureda A, Córdova A, Ferrer MD, Pérez G, Tur JA, Pons A. L-citrulline-malate influence over branched chain amino acid utilization during exercise. [My paper]*European Journal of Applied Physiology*. September 2010; 110(2): 341-51.

Sureda A, Pons A. Arginine and citrulline supplementation in sports and exercise: ergogenic nutrients? *Medicine and Sports Science*. 2013; 59: 18-28.

### **Cocoa**

Allgrove J, Farrell E, Gleeson M, Williamson G, Cooper K. Regular dark chocolate consumption's reduction of oxidative stress and increase of free-fatty-acid mobilization in response to prolonged cycling. *International Journal of Sports Nutrition and Exercise Metabolism*. 2011; 21 (2): 113-123.

Davison G, Callister R, Williamson G, Cooper KA, Gleeson M. The effect of acute pre-exercise chocolate consumption on plasma antioxidant status, oxidative stress and immunoendocrine responses to prolonged exercise. *European Journal of Nutrition*. 2012; 51(11): 69-79.

Jalil AMM, Ismail A. Polyphenols in cocoa and cocoa products: Is there a link between antioxidant properties and health? *Molecules*. 2008; 13: 2190-2219.

Katz D, Doughty K, Ali A. Cocoa and chocolate in human health and disease. *Antioxidants and Redox Signaling*. 2011; 15(10): 2779-2811.

### **Coconut**

Assuncao ML, Ferreira HS, dos Santos AF, Cabral CR Jr, Florencio R. Effects of dietary coconut oil on the biochemical and anthropometric profiles of women presenting abdominal obesity. *Lipids*. 2009; 44(7): 595-601.

Intahphuak S, Khonsung P, Panthong A. Anti-inflammatory, analgesic, and antipyretic activities of virgin coconut oil. *Pharmaceutical Biology*. 2010; 48(2): 151-157.

Kalman DS, Feldman S, Kreiger DR, Boomer RJ. Comparison of coconut water and a carbohydrate-electrolyte sport drink on measures of hydration and physical performance in exercise-trained men. *Journal of the International Society of Sports Nutrition*. 2012; 9(1): 1. doi: 10.1188/1550-2783-9-1.

Liau KM, Lee YY, Chen CK, Rasool AHG. An open-label pilot study to assess the efficacy and safety of virgin coconut oil in reducing visceral adiposity. *International Scholarly Research Network*. 2011. doi:10.5402/2011/949686.

Saat M, Singh R, Sirisinghe R, Nawawi M. Rehydration after exercise with fresh young coconut water, carbohydrate-electrolyte beverage and plain water. *Journal of Physiological Anthropology and Applied Human Science*. 2002; 21(2): 93-104.

### **Coenzyme Q10**

Bloomer RJ, Canale RE, McCarthy CG, Farney TM. Impact of oral ubiquinol on blood oxidative stress and exercise performance. *Oxidative Medicine and Cellular Longevity*. 2012. 2012:465020. doi: 10.1155/2012/465020.



## References

- Kon M, Tanabe K, Akimoto T, Kimura F, Tanimura Y, Shimizu K, Okamoto T, Kono I. Reducing exercise-induced muscular injury in kendo athletes with supplementation of coenzyme Q10. *British Journal of Nutrition*. October 2008; 100(4): 903-909.
- Liao P, Zhang Y, Liao Y, Zheng NJ, Zhang X. Effects of coenzyme Q10 supplementation on liver mitochondrial function and aerobic capacity in adolescent athletes. *Chinese Journal of Applied Physiology*. November 2007; 23(4): 491-494.
- Ostman B, Sjodin A, Michaelsson K, Byberg L. Coenzyme Q10 supplementation and exercise-induced oxidative stress in humans. *Nutrition*. April 2012; 28(4): 403-417.
- Zhou S, Zhang Y, Davie A, Marshall-Gradisnik S, Hu H, Wang J, Brushett D. Muscle and plasma coenzyme Q10 concentration, aerobic power and exercise economy of healthy men in response to four weeks of supplementation. *Journal of Sports Medicine and Physical Fitness*. September 2005; 45(3): 337-346.

### **Colostrum**

- Crooks C, Cross ML, Wall C, Ali A. Effect of bovine colostrum supplementation on respiratory tract mucosal defenses in swimmers. *International Journal of Sports Nutrition and Exercise Metabolism*. June 2010; 20(3): 224-235.
- Marchbank T, Davison G, Oakes JR, Ghatei MA, Patterson M, Moyer MP, Playford RJ. The nutraceutical bovine colostrum truncates the increase in gut permeability caused by heavy exercise in athletes. *American Journal of Physiology and Gastrointestinal Physiology*. March 2011; 300(3): G477-G484.
- Mero, A, Kahkonen J, Nykanen T, Parviainen T, Jokinen I, Takala T, Nikula T, Rasi S, Leppaluoto J. IGF-1, IgA, and IgG responses to bovine colostrum supplementation during training. *Journal of Applied Physiology*. August 2002; 93(3): 732-739.
- Shing C, Coombes J, Jenkins D, Peake J, Suzuki K, Okutsu M, Perira R, Stevenson L. Effects of bovine colostrum supplementation on exercise performance and immune parameters. *Medicine & Science in Sports & Exercise*. May 2006; 38(5): S75.
- Shing CM, Hunter DC, Stevenson LM. Bovine colostrum supplementation and exercise performance: potential mechanisms. *Sports Medicine*. 2009; 39(12): 1033-1054.

### **Conjugated Linoleic Acid (CLA)**

- Benjamin S, Spencer F. Conjugated linoleic acids as functional food: An insight into their health benefits. *Nutrition and Metabolism*. September 2009; 6(36). doi:10.1186/1743-7075-6-36.
- Joseph SV, Jacques H, Plourde M, Mitchell P, McLeod R, Jones P. Conjugated linoleic acid supplementation for 8 weeks does not affect body composition, lipid profile, or safety biomarkers in overweight, hyperlipidemic men. *Journal of Nutrition*. 2011; 141: 1286-1291.
- Schoeller DA, Watras AC, Whigham LD. A meta-analysis of the effects of conjugated linoleic acid on fat-free mass in humans. *Applied Physiology, Nutrition, and Metabolism*. October 2009; 34: 975-978.
- Whigham L, Watras A, Scholler D. Efficacy of conjugated linoleic acid for reducing fat mass: A meta-analysis in humans. *American Journal of Clinical Nutrition*. 2007; 85: 1203-1211.

**Copper**

DiSilvestro R, Hinchcliff K; Blostein-Fujii A. Sustained, strenuous exercise in sled dogs depresses copper enzyme activities. *Medicine & Science in Sports & Exercise*. May 2004; 36(5): S254.

Lewis NA, Moore B; Cunningham P. Serum copper and neutropenia in elite sailors. *Medicine & Science in Sports & Exercise*. May 2010; 42(5): 172.

**Cordyceps Sinensis**

Chen S, Li Z, Krochmal R, Abrazado M, Kim W, Cooper CB. Effect of Cs-4 (Cordyceps sinensis) on exercise performance in healthy older subjects: A double-blind, placebo-controlled trial. *Journal of Alternative and Complimentary Medicine*. May 2010; 16(5): 585-590.

Kumar R, Negi PS, Singh B, Ilavazhagan G, Bhargava K, Sethy NK. Cordyceps sinensis promotes exercise endurance capacity of rats by activating skeletal muscle metabolic regulators. *Journal of Ethnopharmacology*. June 2011; 136(1): 260-266.

Parcell AC, Smith JM, Myrer JW, Fellingham G. Cordyceps sinensis (CordyMax Cs-4) supplementation does not improve endurance exercise performance. *International Journal of Sports Nutrition & Exercise Metabolism*. April 2004; 14(2): 236-242.

**Creatine**

Buford TW, Kreider R, Stout J, Greenwood M, Campbell B, Spano M, Ziegenfuss T, Lopez H, Landis J, Antonio J. International Society of Sports Nutrition position stand: Creatine supplementation and exercise. *Journal of the International Society of Sports Nutrition*. 2007. doi:10.1186/1550-2783-4-6.

Greenwood M, Kreider RB, Rassmussen C, Almada A, Earnest CP. D-pinitol augments whole body creatine retention in man. *Journal of Exercise Physiology*. 2001; 4: 41-47.

Jager R, Purpura M, Shao A, Inoue T, Kreider R. Analysis of the efficacy, safety, and regulatory status of novel forms of creatine. *Amino Acids*. 2011; 40: 1369-1383.

Kerksick CM, Wilborn C, Campbell C, Harvey T, Marcello B, Roberts M, Parker P, Byars A, Greenwood L, Almada A, Kreider R, Greenwood M. The effects of creatine monohydrate supplementation with and without d-pinitol on resistance training adaptations. *Journal of Strength and Conditioning Research*. 2009; 23(9): 2673-2682.

Kreider RB. Effects of creatine supplementation on performance and training adaptations. *Molecular and Cellular Biochemistry*. 2003; 244: 89-94.

Rawson ES, Venezia AC. Use of creatine in the elderly and evidence for effects on cognitive function in young and old. *Amino Acids*. 2011; 40(5): 1349-1362. doi:10.1007/s00726-011-0855-9.

**Curcumin**

Davis MA, Murphy AE, Carmichael M, Zielinski M, Groschwitz C, Brown B, Gangemi D, Ghaffar A, Mayer E. Curcumin effects on inflammation and performance recovery following eccentric exercise-induced muscle damage. *American Journal of Physiology—Regulatory, Integrative, and Comparative Physiology*. 2007; 292: R2168-R2173.

Jurenka JS. Anti-inflammatory properties of curcumin, a major constituent of curcuma longa: A review of preclinical and clinical research. *Alternative Medicine Review*. 2009; 14(2): 141-153.

Kidd PM. Bioavailability and activity of phytosome complexes from botanical polyphenols: The silymarin, curcumin, green tea, and grape seed extracts. *Alternative Medicine Review*. 2009; 14(3): 226-246.

Tang MS, Larson-Meyer E, Liebman M. Effects of cinnamon and turmeric on urinary oxalate excretion, plasma lipids, and plasma glucose in healthy subjects. *American Journal of Clinical Nutrition*. 2008. 87: 1262-1267.

### **Dehydroepiandrosterone (DHEA)**

Brown GA, Vukovich M, King DS. Testosterone prohormone supplements. *Medicine & Science in Sports & Exercise*. 2006; 38(8):1451-1461. doi:10.1249/01.mss.0000228928.69512.2e.

Kenny AM, Boxer R, Kleppinger A, Brindisi J, Feinn R, Burleson J. Dehydroepiandrosterone combined with exercise improves strength and physical function in frail older women. *Journal of the American Geriatrics Society*. 2010; 58: 1707-1714.

Kohut M, Thompson J, Campbell J, Brown G, Vukovich M, Jackson D. Ingestion of a dietary supplement containing dehydroepiandrosterone (DHEA) and androstenedione has minimal effect on immune function in middle-aged men. *Journal of the American College of Nutrition*. 2003; 22(5): 363-371.

Ostojic SM, Calleja J, Jourkesh M. Effects of short-term dehydroepiandrosterone supplementation on body composition in young athletes. *Chinese Journal of Physiology*. 2010; 53(1): 19-25.

### **Devil's Claw**

Brien S, Lewith G, McGregor G. Devil's claw (*Harpagophytum procumbens*) as a treatment for osteoarthritis: A review of efficacy and safety. *Journal of Alternative and Complementary Medicine*. 2006; 12(10): 981-993.

Gagnier J, Chrubasik S, Manheimer E. *Harpagophytum procumbens* for osteoarthritis and low back pain: A systemic review. *BMC Complementary and Alternative Medicine*. 2004. doi:10.1186/472-6882/4/13.

*Harpagophytum procumbens* (devil's claw). *Alternative Medicine Review*. 2008; 13(3): 248-252.

Sanders, M, Grundmann O. The use of glucosamine, devil's claw (*Harpagophytum procumbens*), and acupuncture as complementary and alternative treatments for osteoarthritis. *Alternative Medicine Review*. 2011; 16(3): 228-238.

### **Dimethylamylamine (DMAA)**

Bloomer RJ, Harvey IC, Farney TM, Bell ZW, Canale RE. Effects of 1,3-dimethylamylamine and caffeine alone or in combination on heart rate and blood pressure in healthy men and women. *The Physician and Sportsmedicine*. 2011; 39(3): 111-120.

Cohen PA. DMAA as a dietary supplement ingredient. *Archives of Internal Medicine*. 2012; 39(3): 111-12. doi:10.1001/archinternmed.2012.1677.0

Gee P, Jackson S, Easton J. Another bitter pill: A case of toxicity from DMAA party pills. *New Zealand Medical Journal*. 2010; 123: 124-127.

## References

Vorce SP, Holler JM, Cawrse BM, Magluio J Jr. Dimethylamylamine: A drug causing positive immunoassay results for amphetamines. *Journal of Analytical Toxicology*. 2011; 35: 183-187.

### **D-Ribose**

Berardi JM, Ziegenfuss TN. Effects of ribose supplementation on repeated sprint performance in men. *Journal of Strength and Conditioning Research*. 2003; 17(1): 47-52.

Hellsten Y, Skadhaug L, Bangsbo J. Effect of ribose supplementation on resynthesis of adenine nucleotides after intense intermittent training in humans. *American Journal of Physiology—Regulatory, Integrative, and Comparative Physiology*. 2004; 286: R182-R188.

Kerksick C, Rasmussen C, Bowden R, Leutholtz B, Harvey T, Earnest C, Greenwood M, Almada A, Kreider R. Effects of ribose supplementation prior to and during intense exercise on anaerobic capacity and metabolic markers. *International Journal of Sports Nutrition and Exercise Metabolism*. 2005; 15(6): 653-664.

Kreider RB, Melton C, Greenwood M, Rasmussen C, Lundberg J, Earnest C, Almada A. Effects of oral D-ribose supplementation on anaerobic capacity and selected metabolic markers in healthy males. *International Journal of Sports, Nutrition, Exercise, and Metabolism*. 2003; 13(1): 76-86.

Peveler WW, Bishop PA, Whitehorn EJ. Effect of ribose as an ergogenic aid. *Journal of Strength and Conditioning Research*. 2006; 20(3): 519-522.

### **Ecdysteroids**

Bathori M, Toth N, Hunyadi A, Marki A, Zador E. Phytoecdysteroids and anabolic-androgenic steroids: Structure and effects on humans. *Current Medicinal Chemistry*. 2008; 15: 75-91.

Gorelick-Feldman J, Cohick W, Raskin I. Ecdysteroids elicit a rapid Ca<sup>2+</sup> flux leading to Akt activation and increased protein synthesis in skeletal muscle cells. *Steroids*. 2010; 75: 632-637.

Gorelick-Feldman J, MacLean D, Ilic N, Poulev A, Lila MA, Cheng D, Raskin I. Phytoecdysteroids increase protein synthesis in skeletal muscle cells. *Journal of Agricultural and Food Chemistry*. 2008; 56: 3532-3537.

Kapur P, Wuttke W, Jarry H, Weidlova-Wuttke D. Beneficial effects of beta-ecdysone on the joint, epiphyseal cartilage tissue and trabecular bone in ovariectomized rats. *Phytomedicine*. 2010; 17(5): 350-355.

Kizelsztejn P, Govorko D, Komarnytsky S, Evans A, Wang Z, Cefalu W, Raskin I. 20-hydroxyecdysone decreases weight and hyperglycemia in a diet-induced obesity mice model. *American Journal of Physiology, Endocrinology, and Metabolism*. 2009; 296: E433-E439.

Otaka T, Okui S, Uchiyama M. Stimulation of protein synthesis in mouse liver by ecdysterone. *Chemical and Pharmaceutical Bulletin (Tokyo)*. 1976; 39(6): 690-693.

Toth N, Szabo A, Kacsala P, Heger J, Zador E. 20-hydroxyecdysone increases fiber size in a muscle-specific fashion in rat. *Phytomedicine*. 2008; 15(9): 681-698.

Wilborn C, Taylor L, Campbell B, Kerksick C, Rasmussen C, Greenwood M, Kreider R. Effects of methoxyisoflavone, ecdysterone, and sulfo-polysaccharide

## References

supplementation on training adaptations in resistance-trained males. *Journal of the International Society of Sports Nutrition*. 2006; 3(2): 19-27.

### **Echinacea**

Barrett B, Brown R, Rakel D, Rabago D, Marchand L, Scheder J, Mundt M, Thomas G, Barlow S. Placebo effects and the common cold: A randomized controlled trial. *Annals of Family Medicine*. July-August 2011; 9(4): 312-322.

Hall HL, Fahlman MM, Engels HJ. The effects of echinacea on the mucosal immune response and upper respiratory tract infections. *Medicine & Science in Sports & Exercise*. May 2003; 35(5): S156.

Jawad M, Schoop R, Suter A, Klein P, Eccles R. Safety and efficacy profile of echinacea purpurea to prevent common cold episodes: A randomized, double-blind, placebo-controlled trial. *Evidence Based Complementary and Alternative Medicine*. 2012; 2012: 841315.

Scheett TP, Whitehead MT, Martin TD, Webster MJ. Effect of oral echinacea supplementation on resting leukocytes. *Medicine & Science in Sports & Exercise*. May 2006; 38(5): S405.

Senchina DS, Doty DM, Shah NB. Male college soccer athletes in vitro immune response to echinacea challenge following a single aerobic team training session. *Medicine & Science in Sports & Exercise*. May 2008; 40(5): S430.

Whitehead MT, Martin TD, Scheett TP, Webster MJ. Running economy and maximal oxygen consumption after 4 weeks of oral echinacea supplementation. *Journal of Strength and Conditioning Research*. July 2012; 26(7): 1928-1933.

Whitehead MT, Martin TD, Webster MJ, Scheett TP. Two weeks of oral echinacea supplementation significantly increases circulating erythropoietin. *Medicine & Science in Sports & Exercise*. May 2005; 37(5): S43.

Yamada K, Hung P, Park TK, Park PJ, Lim BO. A comparison of the immunostimulatory effects of the medicinal herbs echinacea, ashwagandha and brahmi. *Journal of Ethnopharmacology*. September 2011; 137(1): 231-235.

### **Egg Protein**

Kovacs-Nolan J, Phillips M, Mine Y. Advances in the value of eggs and egg components for human health. *Journal of Agricultural and Food Chemistry*. 2005; 53: 8421-8431.

### **Elderberry**

Barros L, Duenas M, Carvalho AM, Ferreira IC, Santos-Buelga C. Characterization of phenolic compounds in flowers of wild medicinal plants from Northeastern Portugal. *Food and Chemical Toxicology*. February 2012; 50(5): 1576-1582.

Zakay-Rones Z, Thorn E, Wollan T, Wadstein J. Randomized study of the efficacy and safety of oral elderberry extract in the treatment of influenza A and B virus infections. *Journal of Internal Medicine Research*. 2004; 32: 132-140.

Zakay-Rones Z, Varsano N, Zlotnik M, Manor O, Regev L, Schlesinger M, Mumcuoglu M. Inhibition of several strains of influenza virus in vitro and reduction of symptoms by an elderberry extract (*Sambucus nigra* L.) during an outbreak of influenza B Panama. *Journal of Alternative Complementary Medicine*. 1995; 1: 361-369.

**Fenugreek**

- Basch E, Ulbricht C, Kuo G, Szapary P, Smith M. Therapeutic applications of fenugreek. *Alternative Medicine Review*. February 2003; 8(1): 20-27.
- Ikeuchi M, Yamaguchi K, Koyama T, Sono Y, Yazawa K. Effects of fenugreek seeds (*Trigonella foenum graecum*) extract on endurance capacity in mice. *Journal of Nutritional Science and Vitaminology*. August 2006; 52(4): 287-292.
- Poole C, Bushey B, Foster C, Campbell B, Willoughby D, Kreider R, Taylor L, Wilborn C. The effects of a commercially available botanical supplement on strength, body composition, power output, and hormonal profiles in resistance-trained males. *Journal of the International Society of Sports Nutrition*. October 2010; 27(7): 34.
- Ruby BC, Gaskill SE, Slivka D, Harger SG. The addition of fenugreek extract (*Trigonella foenum-graecum*) to glucose feeding increases muscle glycogen resynthesis after exercise. *Amino Acids*. February 2005; 28(1): 71-76.
- Sindhu G, Ratheesh M, Shyni GL, Nambisan B, Helen A. Anti-inflammatory and antioxidative effects of mucilage of *Trigonella foenum graecum* (fenugreek) on adjuvant induced arthritic rats. *International Immunopharmacology*. January 2012; 12(1): 205-211.
- Slivka D, Cuddy J, Hailes W, Harger S, Ruby B. Glycogen resynthesis and exercise performance with the addition of fenugreek extract (4-hydroxyisoleucine) to post-exercise carbohydrate feeding. *Amino Acid*. August 2008; 35(2): 439-444.
- Subhashini N, Nagarajan G, Kavimani S. Anti-inflammatory and in vitro antioxidant property of *Trigonella foenum graecum* seeds. *Journal of Pharmacology and Toxicology*. 2011; 6: 371-380.

**Fiber**

- Anderson JW, Baird P, Davis RH, Ferreri S, Knudtson M, Koraym A, Waters V, Williams CL. Health benefits of dietary fiber. *Nutrition Reviews*. 2009; 67(4): 188-205.
- Papathanasopoulos A, Camilleri M. Dietary fiber supplements: Effects in obesity and metabolic syndrome and relationship to gastrointestinal functions. *Gastroenterology*. 2010; 138(1): 65-72.

**5-Hydroxytryptophan (5-HTP)**

- Birdsall TC. 5-hydroxytryptophan: A clinically-effective serotonin precursor. *Alternative Medicine Review*. 1998; 3(4): 271-280.
- Morrow JD, Vikraman S, Imeri L, Opp MR. Effects of serotonergic activation by 5-hydroxytryptophan on sleep and body temperature of C57CL/6J and interleukin-6 deficient mice are dose and time related. *Sleep*. 2008; 31(1): 21-33.
- Turner EH, Loftis JM, Blackwell AD. Serotonin a la carte: Supplementation with the serotonin precursor 5-hydroxytryptophan. *Pharmacology and Therapeutics*. 2006; 109: 325-338.

**Flaxseed**

- Kim Y, Ilich JZ. Implications of dietary  $\alpha$ -linolenic acid in bone health. *Nutrition*. November-December 2011; 27(11-12): 1101-1107.
- Rocha F, Costa A, Bernardo A, Pereira P. The effect of omega-3 enriched food in the athletic performance and body composition of taekwondo athletes. *Medicine & Science in Sports & Exercise*. May 2011; 43(5): 473-474.

**GABA**

Abdou A, Higashiguchi S, Horie K, Kim M, Hatta H, Yokogoshi H. Relaxation and immunity enhancement effects of  $\gamma$ -Aminobutyric acid (GABA) administration in humans. *BioFactors*. 2006; 26: 201-208.

Goldberg JS. Selected gammaaminobutyric acid (GABA) esters may provide analgesia for some central pain conditions. *Perspectives in Medicinal Chemistry*. 2010; 4: 23-31.

Kanehira T, Nakamura Y, Nakamura K, Horie K, Horie N, Furugori K, Sauchi Y, Yokogoshi H. Relieving occupational fatigue by consumption of a beverage containing  $\gamma$ -amino butyric acid. *Journal of Nutritional Science Vitaminology*. 2011; 57: 9-15.

Nakamura H, Takishima T, Kometani T, Yokogoshi H. Psychological stress-reducing effect of chocolate enriched with  $\gamma$ -aminobutyric acid (GABA) in humans: Assessment of stress using heart rate variability and salivary chromogranin A. *International Journal of Food Sciences and Nutrition*. 2009; 60(S5): 106-113.

**Gamma-Linolenic Acid (GLA)**

Bayles B, Usatine R. Evening Primrose Oil. *Complementary and Alternative Medicine*. 2009; 80(12): 1405-1408.

Calder PC. Long-chain fatty acids and inflammation. *Proceedings of the Nutrition Society*. May 2012; 71(2): 284-289.2012. doi:10.1017/S0029665112000067.

Czernichow S, Thomas D, Bruckert E. N-6 fatty acids and cardiovascular health: A review of the evidence for dietary intake recommendations. *British Journal of Nutrition*. 2010; 104: 788-796.

Schirmer MA, Phinney SD. Gamma-linolenate reduces weight regain in formerly obese humans. *Journal of Nutrition*. 2007; 137(6): 1430-1435.

Wang X, Lin H, Gu Y. Multiple roles of dihomo- $\gamma$ -linolenic acid against proliferation diseases. *Lipids in Health and Disease*. February 2012; 11: 25. www.lipidworld.com/content/11/1/25.

**Garlic**

Josling P. Preventing the common cold with a garlic supplement: A double-blind, placebo-controlled survey. *Advances in Therapy*. July/August 2001; 18(4): 189-193.

Ferreira LF, Campbell KS, Reid MB. Effectiveness of sulfur-containing antioxidants in delaying skeletal muscle fatigue. *Medicine & Science in Sports & Exercise*. June 2011; 43(6): 1025-1031.

Lawson LD. Garlic: A review of its medicinal effects and indicated active compounds. In *Phytomedicines of Europe: Chemistry and biological activity*. Series 691. Edited by LD Lawson and R Bauer. Washington DC: American Chemical Society, 1998, 176-209.

Su QS, Tian Y, Zhang JG, Zhang H. Effects of allicin supplementation on plasma markers of exercise-induced muscle damage, IL-6, and antioxidant capacity. *European Journal of Applied Physiology*. June 2008; 103(3): 275-283.

**Ginger**

Altman RD, Marcussen KC. Effects of a ginger extract on knee pain in patients with osteoarthritis. *Arthritis and Rheumatism*. November 2001; 44(11): 2531-8.

## References

Black CD, Herring MP, Hurley DJ, O'Connor PJ. Ginger (*Zingiber officinale*) reduces muscle pain caused by eccentric exercise. *Journal of Pain*. September 2010; 11(9): 894-903.

Terry R, Posadzki P, Watson LK, Ernst E. The use of ginger (*Zingiber officinale*) for the treatment of pain: A systematic review of clinical trials. *Pain Medication*. December 2011; 12(12): 1808-1818.

### **Ginkgo Biloba**

Birks J, Grimley EV, Van Dongen M. Ginkgo biloba for cognitive impairment and dementia. *Cochrane Database of Systematic Reviews*. 2009. doi: 10.1002/14651858.CD003120.pub3.

Canter PH, Ernst E. Ginkgo biloba is not a smart drug: An updated systematic review of randomized clinical trials testing the nootropic effects of G. biloba extracts in healthy people. *Human Psychopharmacology*. 2007; 22: 265-278.

Jezova D, Duncko R, Lassanova M, Kriska M, Moncek F. Reduction of rise in blood pressure and cortisol release during stress by Ginkgo biloba extract (EGB 761) in healthy volunteers. *Journal of Physiology and Pharmacology*. 2002; 53(32): 337-348.

### **Ginseng**

Biondo PD, McCargar LJ, Harber VJ, Field CJ. A randomized, controlled trial of ginseng consumption on the immune response to a moderate exercise stress protocol in non-athletic women. *Open Nutrition Journal*. 2010; 4: 1-10.

Hsu M. Effects of american ginseng supplementation on cytokines and oxidative stress following acute downhill running. *Medicine & Science in Sports & Exercise*. May 2010; 42(5): 788.

Huang LZ, Huang BK, Ye Q, Qin LP. Bioactivity-guided fractionation for anti-fatigue property of *Acanthopanax senticosus*. *Journal of Ethnopharmacology*. Jan 2011; 133(1): 213-219.

Jung HL, Kwak HE, Kim SS, Lee CD, Byurn HK, Kang HY. Effects of Panax ginseng supplementation on muscle damage and inflammation after uphill treadmill running in humans. *American Journal of Chinese Medicine*. 2011; 39(3): 441-450.

### **Glucosamine**

Aghazadeh-Habashi A, Jamali F. The glucosamine controversy; A pharmacokinetic issue. *Journal of Pharmacy and Pharmaceutical Sciences*. 2011; 14(2): 264-273.

Black C, Clar C, Henderson R, MacEachern C, McNamee P, Quayyum Z, Royle P, Thomas S. The clinical effectiveness of glucosamine and chondroitin supplements in slowing or arresting progression of osteoarthritis of the knee: A systematic review of economic evaluation. *Health Technology Assessment*. 2009; 13(52): 1-148. doi:10.3310/hta 13520.

Ostojic SM, Arsic M, Prodanovic S, Vukovic J, Zlatanovic M. Glucosamine administration in athletes: Effects on recovery from knee injury. *Research in Sports Medicine*. 2007; 15: 113-124.

Poolsup N, Suthisisang C, Channark P, Kittikuluth W. Glucosamine long-term treatment and the progression of knee osteoarthritis: Systemic review of randomized controlled trials. *Annals of Pharmacotherapy*. 2005; 39: 1080-1087.



## References

Simon RR, Marks V, Leeds AR, Anderson JW. A comprehensive review of oral glucosamine use and effects on glucose metabolism in normal and diabetic individuals. *Diabetes/Metabolism Research and Reviews*. 2011; 27: 14-27.

### **Glutamine**

Askanazi J, Carpentier YA, Michelsen CB, Elwyn P, Furst L, Kantrowitz LR, Gump FE, Kinney JM. Muscle and plasma amino acids following injury: Influence of intercurrent infection. *Annals of Surgery*. 1980; 192: 78-85.

Borgenvik M, Nordin M, Mikael Mattsson C, Enqvist JK, Blomstrand E, Ekblom B. Alterations in amino acid concentrations in the plasma and muscle in human subjects during 24 h of simulated adventure racing. *European Journal of Applied Physiology*. October 2012; 112(10): 3679-3688.

Favano A, Santos-Silva PR, Nakano EY, Pedrinelli A, Hernandez AJ, Greve JM. Peptide glutamine supplementation for tolerance of intermittent exercise in soccer players. *Clinics (San Paulo)*. February 2008; 63(1): 27-32.

Gleeson M. Dosing and efficacy of glutamine supplementation in human exercise and sport training. *Journal of Nutrition*. October 2008; 138(10): 2045S-2049S.

### **Glutathione**

Dröge W, Holm E. Role of cysteine and glutathione in HIV infection and other diseases associated with muscle wasting and immunological dysfunction. *FASEB Journal*. November 1997; 11(13): 1077-89.

Gomes EC, Stone V, Florida-James G. Impact of heat and pollution on oxidative stress and CC16 secretion after 8 km run. *European Journal of Applied Physiology*. September 2011; 111(9): 2089-2097.

Kawada S, Kobayashi K, Ohtani M, Fukusaki C. Cystine and theanine supplementation restores high-intensity resistance exercise-induced attenuation of natural killer cell activity in well-trained men. *Journal of Strength Conditioning Research*. March 2010; 24(3): 846-851.

Misner B. Does glutathione enhance exercise performance?: A case study. *The Townsend Letter*. July 2003; 66. [www.townsendletter.com](http://www.townsendletter.com).

Murakami S, Kurihara S, Koikawa N, Nakamura A, Aoki K, Yosigi H, Sawaki K, Ohtani M. Effects of oral supplementation with cystine and theanine on the immune function of athletes in endurance exercise: Randomized, double-blind, placebo-controlled trial. *Bioscience, Biotechnology, and Biochemistry*. April 2009; 73(4): 817-821.

Pinho RA, Silva LA, Pinho CA, Scheffer DL, Souza CT, Benetti M, Carvalho T, Dal-Pizzol F. Oxidative stress and inflammatory parameters after an ironman race. *Clinical Journal of Sport Medicine*. July 2010; 20(4): 306-311.

Schulpis KH, Reclos GJ, Parthimos T, Parthimos N, Gavriilidis A, Tsakiris S. L-cysteine supplementation protects the erythrocyte glucose-6-phosphate dehydrogenase activity from reduction induced by forced training. *Clinical Biochemistry*. October 2006; 39(10): 1002-1006.

Witschi A, Reddy S, Stofer B, Lauterburg BH. The systemic availability of oral glutathione. *European Journal of Clinical Pharmacology*. 1992; 43(6): 667-9.

### **Gotu Kola**

Cravotto G, Boffa L, Genzini I, Garella D. Phytotherapeutics: An evaluation of the potential of 1000 plants. *Journal of Clinical Pharmacy and Therapeutics*. 2010; 35: 11-48.

Gohil KJ, Patel JA, Gajjar AK. Pharmacological review on *Centella asiatica*: A potential herbal cure-all. *Indian Journal of Pharmaceutical Sciences*. 2010; 72(5): 546-556.

Zheng C, Qin L. Chemical components of *Centella asiatica* and their bioactivities. *Journal of Chinese Integrative Medicine*. 2007; 5(3): 848-851.

### **Grape Seed**

Constantini A, De Bernardi T, Gotti A. Clinical and capillaroscopic evaluation of chronic uncomplicated venous insufficiency with procyanidins extracted from *Vitis vinifera*. *Minerva Cardioangiologica*. January-February 1999; 47(1-2): 39-46.

Fine AM. Oligomeric proanthocyanidin complexes: History, structure, and phytopharmaceutical applications. *Alternative Medicine Review*. April 2000; 5(2): 144-151.

Lafay S, Jan C, Nardon K, Lemaire B, Ibarra A, Roller M, Houvenae. Grape extract improves antioxidant status and physical performance in elite male athletes. *Journal of Sports Science and Medicine*. September 2009; 8: 468-480.

Teixeira S. Bioflavonoids: Proanthocyanidins and quercetin and their potential roles in treating musculoskeletal conditions. *Journal of Orthopaedic and Sports Physical Therapy*. July 2002; 32(7): 357-363.

Xu Z, Du P, Meiser P, Jacob C. Proanthocyanidins: Oligomeric structures with unique biochemical properties and great therapeutic promise. *Natural Produce Communications*. March 2012; 7(3): 381-388.

### **Gymnema Sylvestre**

Leach MJ. *Gymnema sylvestre* for diabetes mellitus: A systematic review. *Journal of Alternative and Complementary Medicine*. 2007; 13(9): 977-983.

Reddy RM, Latha PB, Vijava T, Rao DS. The saponin-rich fraction of a *Gymnema sylvestre* R. Br. Aqueous leaf extract reduces cafeteria and high fat diet-induced obesity. *Journal of Biosciences*. 2012; 67(1-2): 39-46.

### **Hoodia Gordonii**

Vermaak I, Hamman JH, Viljoen AM. *Hoodia gordonii*: An up-to-date review of a commercially important anti-obesity plant. *Planta Medica*. 2011; 77: 1149-1160.

MacLean D, Duo L. Increased ATP content/production in the hypothalamus may be a signal for energy-sensing of satiety: studies of the anorectic mechanism of a plant steroidal glycoside. *Brain Research*. 2004; 1020: 1-11.

### **Horny Goat Weed**

Balayssac S, Gilard V, Zedde C, Martino R, Malet-Martino M. Analysis of herbal dietary supplements for sexual performance enhancement: First characterization of propoxyphenyl-thiohydroxyhomosildenafil and identification of a sildenafil, thiosildenafil, phentolamin, and tetrahydropalmatine as adulterants. *Journal of Pharmaceutical and Biomedical Analysis*. 2012; 7(63): 135-150.

### **Hydroxy-Beta-Methylbutyrate (HMB)**

Gallagher PM, Godard JA, Godard MP, Schulze KE, Trappe S. Beta-hydroxy-beta-methylbutyrate ingestion, part I: Effects on strength and fat free mass. *Medicine & Science in Sports & Exercise*. 2000; 32: 2109-2115.

Hao Y, Jackson JR, Wang Y, Edens N, Pereira SL, Always SE. Beta-hydroxy-beta-methylbutyrate reduces myonuclear apoptosis during recovery from hind limb suspension-induced muscle fiber atrophy in aged rats. *American Journal of Physiology*—

## References

- Regulatory, Integrative, and Comparative Physiology*. 2011; 301(3): R701-15. doi:10.1152/ajpregu.00840.2010.
- Nissen S, Sharp RL. Effect of dietary supplements on lean body mass and strength gains with resistance exercises a meta-analysis. *Journal of Applied Physiology* 2003; 94: 651-659.
- Nissen S, Sharp RL, Panton L, Vukovich M, Trappe S, Fuller JC Jr. Beta-hydroxy-beta-methylbutyrate (HMB) supplementation in humans is safe and may decrease cardiovascular risk factors. *Journal of Nutrition*. 2000; 130: 1937-1945.
- Wilson GJ, Wilson JA, Manninen AH. Effects of beta-hydroxy-beta-methylbutyrate (HMB) on exercise performance and body composition across varying levels of age, sex, and training experience: A review. *Nutrition and Metabolism*. 2008. doi:10.1186/1743-7075-5-1.
- Zanchi NE, Gerlinger-Romero F, Guimaraes-Ferreira L, de Siqueira Filho MA, Felitti V, Lira FS, Seelaender M, Lancha AH Jr. HMB supplementation: Clinical and athletic performance-related effects and mechanisms of action. *Amino Acids*. 2011; 40: 1015-1025.
- Hydroxycitric Acid**
- Egras AM, Hamilton WR, Lenz TL, Monaghan MS. An evidence-based review of fat modifying supplemental weight loss products. *Journal of Obesity*. 2011. doi:10.1155/2011/297315.
- Onakpoya I, Hung SK, Perry R, Wider B, Ernst E. The use of garcinia extract (hydroxycitric acid) as a weight loss supplement: A systematic review and meta-analysis of randomized clinical trials. *Journal of Obesity*. 2011. Accessed online: doi: 0.1155/2011/509036.
- Saito M, Ueno M, Ogino S, Kubo K, Nagata J, Takeuchi M. High dose of Garcinia cambogia is effective in suppressing fat accumulation in developing male Zucker obese rats, but highly toxic to the testis. *Food and Chemical Toxicology*. 2005; 43: 411-419.
- Inosine**
- McNaughton L, Dalton B, Tarr J. Inosine supplementation has no effect on aerobic or anaerobic cycling performance. *International Journal of Sport Nutrition*. 1999; 4: 333-44.
- Starling RD, Trappe TA, Short KR, Sheffield-Moore M, Joszi AC, Fink WJ, Costill DL. Effect of inosine supplementation on aerobic and anaerobic cycling performance. *Medicine & Science in Sports & Exercise*. 1996; 28(9): 1193-8.
- Williams MH, Kreider RB, Hunter DW, Somma CT, Shall LM, Woodhouse ML, Rokitzki. Effect of inosine supplementation on 3-mile treadmill run performance and VO<sub>2</sub> peak. *Medicine & Science in Sports & Exercise*. 1990; 22(4): 517-522.
- Iron**
- Borrione P, Spaccamiglio A, Rizzo M, Termine A, Chierto E, Campostrini N, Quaranta F, Di Gianfrancesco A, Pigozzi F. Urinary hepcidin identifies a serum ferritin cut-off for iron supplementation in young athletes: A pilot study. *Journal of Biological Regulators and Homeostatic Agents*. July-September 2011; 25(3): 427-434.
- DellaValle DM, Hass JD. Impact of iron depletion without anemia on performance in trained endurance athletes at the beginning of a training season: a study of

## References

- female collegiate rowers. *International Journal of Sports Nutrition and Exercise Metabolism*. December 2011; 21(6): 501-506.
- Fallon KE. Screening for haematological and iron-related abnormalities in elite athletes-analysis of 576 cases. *Journal of Science and Medicine in Sport*. June 2008; 11(3): 329-336.
- Latunde-Dada GO. Iron metabolism in athletes- achieving a gold standard. *European Journal of Haematology*. January 2013; 90(1): 10-5. doi: 10.1111/ejh.12026.
- McClung JP. Iron status and the female athlete. *Journal of Trace Elements in Medicine and Biology*. June 2012; 26(2-3): 124-126.
- Reinke S, Taylor WR, Duda GN, von Haehling S, Reinke P, Volk HD, Anker SD, Doehner W. Absolute and functional iron deficiency in professional athletes during training and recovery. *International Journal of Cardiology*. April 2012; 156(2): 186-191.
- Isomaltulose**
- Achten J, Jentjens RL, Brouns F, Jeukendrup AE. Exogenous oxidation of isomaltulose is lower than that of sucrose during exercise in men. *Journal of Nutrition*. May 2007; 137(5): 1143-1148.
- Bracken RM, Page R, Gray B, Kilduff LP, West DJ, Stephens JW, Bain SC. Iso-maltulose improves glycaemia and maintains run performance in type 1 diabetes. *Medicine & Science in Sports & Exercise*. 2012 May; 44(5): 800-8.
- König D, Theis S, Kozianowski G, Berg A. Postprandial substrate use in overweight subjects with the metabolic syndrome after isomaltulose (Palatinose) ingestion. *Nutrition*. January 2012; 28(6): 651-6.
- West DJ, Morton RD, Stephens JW, Bain SC, Kilduff LP, Luzio S, Still R, Bracken RM. Isomaltulose improves postexercise glycemia by reducing CHO oxidation in T1DM. *Medicine & Science in Sports & Exercise*. February 2011; 43(2): 204-210.
- Leucine**
- Kerksick C, Harvey T, Stout J, Campbell B, Wilborn C, Kreider R, Kalman D, Ziegenfuss T, Lopez H, Landis J, Ivy JL, Antonio J. International Society of Sports Nutrition position stand: Nutrient timing. *Journal of the International Society of Sports Nutrition*. 2008; 5: 17. doi:10/1186/1550-2783-5-17.
- Moore DR, Robinson MJ, Fry JL, Tang JE, Glover EI, Wilkinson SB, Prior T, Tarnopolsky MA, Phillips SM. Ingested protein dose response of muscle and albumin protein synthesis after resistance exercise in young men. *American Journal of Clinical Nutrition*. 2009; 89: 161-168.
- Negro, M, Giardina S, Marzani B, Marzatico F. Branched-chain amino acid supplementation does not enhance athletic performance but affects muscle recovery and the immune system. *Journal of Sports Medicine and Physical Fitness*. 2008; 48(3): 347-351.
- Pasiakos SM, McClung JP. Supplemental dietary leucine and the skeletal muscle anabolic response to essential amino acids. *Nutrition Reviews*. 2011; 69(9): 550-557.
- Magnesium (Mg)**
- Cheng SM, Yang DY, Lee CP, Pan HC, Lin MT, Chen SH, Cheng FC. Effects of magnesium sulfate on dynamic changes of brain glucose and its metabolites during a short-term forced swimming in gerbils. *European Journal of Applied Physiology*. April 2007 ;99(6): 695-699.

## References

- Finstad EW, Newhouse IJ, Lukaski HC, Mcauliffe JE, Stewart CR. The effects of magnesium supplementation on exercise performance. *Medicine & Science in Sport & Exercise*. March 2001; 33(3): 493-498.
- Lukaski HC, Nielsen FH. Dietary magnesium depletion affects metabolic responses during submaximal exercise in postmenopausal women. *Journal of Nutrition*. 2002;132: 930-935.
- Matias CN, Santos DA, Monteiro CP, Silva AM, Raposo MF, Martins F, Sardinha LB, Bicho M, Laires MJ. Magnesium and strength in elite judo athletes according to intracellular water changes. *Magnesium Research*. September 2010; 23(3): 138-141.
- Matias CN, Santos DA, Monteiro CP, Vasco AM, Baptista F, Sardinha LB, Laires MJ, Silva AM. Magnesium intake mediates the association between bone mineral density and lean soft tissue in elite swimmers. *Magnesium Research*. August 2012; 25(3): 120-125.
- Santos DA, Matias CN, Monteiro CP, Silva AM, Rocha PM, Minderico CS, Bettencourt SL, Laires MJ. Magnesium intake is associated with strength performance in elite basketball, handball, and volleyball players. *Magnesium Research*. December 2011; 24(4): 215-219.
- Schwellnus MP, Nicol J, Laubscher R, Noakes TD. Serum electrolyte concentrations and hydration status are not associated with exercise associated muscle cramping (EAMC) in distance runners. *British Journal of Sports Medicine*. August 2004; 38(4): 488-492.
- Soria M, Gonzalez-Haro C, Lopez-Colon JL, Llorente MT, Escanero JF. Submaximal exercise intensities do not provoke variations in plasma magnesium concentration in well-trained euhydrated endurance athletes with no magnesium deficiency. *Magnesium Research*. June 2011; 24(2): 36-44.
- Weller E, Bachert P, Meinck HM, Friedmann B, Bärtsch P, Mairböurl H. Lack of effect of oral Mg-supplementation on Mg in serum, blood cells, and calf muscle. *Medicine & Science in Sports & Exercise*. November 1998; 30(11): 1584-1591.
- Maral Root**
- Azizov AP. Effects of eleutherococcus, elton, leuzea, and leveton on the blood coagulation system during training in athletes. *Eksp Klin Farmako*. 1997; 60: 58-60.
- Azizov, AP, Seifulla R, Chubarova A. Effects of Leuzea tincture and Leveton on humoral immunity of athletes. *Eksp. Klin. Farmakol* 1997; 60: 47-48
- Azizov, AP, Seifulla R. The effect of Elton, Leveton, Fitoton and adapton on the work capacity of experimental animals. *Eksp Klin Farmako* 1998; 61; 61-63
- Gadzhieva RM, Portugalov SN, Paniushkin VV, Kondrateva II. A comparative study of the anabolic action of ecdysten, leveton, and Prime Plus preparations of plant origin. *Eksp Klin Farmakol*. 1995; 58: 46-48.
- Kokoska L, Janovska D. Chemistry and pharmacology of Rhaponticum carthamoides: A review. *Phytochemistry*. 2009; 70: 842-855.
- Slama K, Koudela K, Tenora J, Mathova A. Insect hormones in vertebrates: Anabolic effects of 20-hydroxyecdysone in Japanese quails. *Experientia*. 1996; 52: 702-706.
- Stopka P, Stancl J, Slama K. Effect of insect hormone, 20-hydroxyecdysone on growth and reproduction in mice. *Acta Societatis Zoologicae Bohemicae*. 1999; 63: 367-378.

Wilborn C, Taylor L, Campbell B, Kersick C, Rasmussen C, Greenwood M, Kreider R. Effects of methoxyisoflavone, ecdysterone, and sulf-polysaccharide supplementation on training adaptations in resistance-trained males. *Journal of the International Society of Sports Nutrition*. 2006; 3(2): 19-27.

### **Medicinal Mushrooms**

Benson KF, Ager DM, Landes B, Aruoma OI, Jensen GS. Improvement of joint range of motion (ROM) and reduction of chronic pain after consumption of an ergothioneine-containing nutritional supplement. *Preventative Medicine*. May 2012; 54(Suppl): S83-9.

Hetland G, Johnson E, Lyberg T, Kvalheim G. The mushroom *Agaricus blazei murill* elicits medicinal effects on tumor, infection, allergy, and inflammation through its modulation of innate immunity and amelioration of Th1/Th2 imbalance and inflammation. *Advances in Pharmacological Sciences*. 2011; 2011: 157015.

Jung K, Kim IH, Han D. Effect of medicinal plant extracts on forced swimming capacity in mice. *Journal of Ethnopharmacology*. July 2004; 93(1): 75-81.

Lee HH, Jong SL, Jae YC, Young EK, Eock KH. Structural characteristics of immunostimulating polysaccharides from *Lentinus edodes*. *Journal of Microbiology and Biotechnology*. 2009; 19(5): 455-461.

Xu Z, Chen X, Zhong Z, Chen L, Wang Y. *Ganoderma lucidum* polysaccharides: Immunomodulation and potential anti-tumor activities. *American Journal of Chinese Medicine*. 2011; 39(1): 15-27.

You YH, Lin ZB. Protective effects of *Ganoderma lucidum* polysaccharides peptide on injury of macrophages induced by reactive oxygen species. *Acta Pharmacologica Sinica*. September 2002; 23(9): 787-791.

Zhang Y, Lin Z, Hu Y, Wang F. Effect of *Ganoderma lucidum* capsules on T lymphocyte subsets in football players on "living high-training low". *British Journal of Sports Medicine*. October 2008; 42(10): 819-822.

### **Medium-Chain Triglycerides (MCTs)**

Berning JR. The role of medium-chain triglycerides in exercise. *International Journal of Sports Nutrition*. 1996; 6: 121-33 [review].

Clegg ME. Medium-chain triglycerides are advantageous in promoting weight loss although not beneficial to exercise performance. *International Journal of Food Sciences and Nutrition*. November 2010; 61(7): 653-679.

Fushiki T, Matsumoto K, Inoue K, Kawada T, Sugimoto. Swimming endurance capacity of mice is increased by chronic consumption of medium-chain triglycerides. *Journal of Nutrition*. March 1995; 125(3): 531-539.

Goedecke JH, Clark VR, Noakes TD, Lambert EV. The effects of medium-chain triacylglycerol and carbohydrate ingestion on ultra-endurance exercise performance. *International Journal of Sports Nutrition and Exercise Metabolism*. February 2005; 15(1): 15-27.

Goedecke JH, Elmer-English R, Dennis SC, Schloss I, Noas TD, Lambert EV. Effects of medium-chain triacylglycerol ingested with carbohydrate on metabolism and exercise performance. *International Journal of Sports Nutrition*. 1999; 9: 35-47.

Jeukendrup AE, Thielen JJ, Wagenmakers AJ, Brouns F, Saris WH. Effect of medium-chain triacylglycerol and carbohydrate ingestion during exercise on substrate

## References

- utilization and subsequent cycling performance. *American Journal of Clinical Nutrition*. 1998; 67: 397–404.
- Misell LM, Lagomarcino ND, Schuster V, Kern M. Chronic medium-chain triacylglycerol consumption and endurance performance in trained runners. *Journal of Sports Medicine and Physical Fitness*. June 2001; 41(20): 210-215.
- St-Onge MP, Bosarge A. Weight-loss diet that includes consumption of medium-chain triacylglycerol oil leads to a greater rate of weight and fat mass loss than does olive oil. *American Journal of Clinical Nutrition*. March 2008; 87(3): 621-626.
- Van Zyl CG, Lambert EV, Hawley JA, Noakes TD, Dennis SC. Effects of medium-chain triglyceride ingestion on carbohydrate metabolism and cycling performance. *Journal of Applied Physiology*. 1996; 80: 2217–25.
- Melatonin**
- Shimazaki M. Do herbal agents have a place in the treatment of sleep problems in long-term care? *Journal of the American Medical Directors Association*. 2007; 8(4): 248-252.
- Verster, GC. Melatonin and its agonists, circadian rhythms and psychiatry. *African Journal of Psychiatry*. 2009; 12: 42-46.
- Wade AG, Ford I, Crawford G, McConnachie A, Nir T, Laudon M, Zisapel N. Nightly treatment of primary insomnia with prolonged release melatonin for 6 months: A randomized placebo controlled trial on age and endogenous melatonin as predictors of efficacy and safety. *BMC Medicine*. 2010; 8(51).
- Zawilska J, Skene D, Arendt J. Physiology and pharmacology of melatonin in relation to biological rhythms. *Pharmacological Reports*. 2009; 61: 383-410.
- Methylsulfonylmethane (MSM)**
- Debbi EM, Agar G, Fichman G, Ziv YB, Kardosh R, Halperin N, Elbaz A, Beer Y, Debt R. Efficacy of methylsulfonylmethane supplementation on osteoarthritis of the knee: A randomized controlled study. *BMC Complementary and Alternative Medicine*. 2011; 11(50).
- Methylsulfonylmethane (MSM). *Alternative Medicine Reviews*. 2003; 8(4): 438-441.
- Usha PR, Naidu MUR. Randomised, double-blind, parallel, placebo-controlled study of oral glucosamine, methylsulfonylmethane and their combination in osteoarthritis. *Clinical Drug Investigation*. 2004; 24(6): 353-363.
- Naringin**
- Ballard TLP, Halawelsh FT, Stevermer CL, Agrawal P, Vukovich MD. Naringin does not alter caffeine pharmacokinetics, energy expenditure, or cardiovascular haemodynamics in humans following caffeine consumption. *Clinical and Experimental Pharmacology and Physiology*. 2006; 33: 310-314.
- Dow CA, Going SB, Chow HH, Patil BS, Thomson CA. The effects of daily consumption of grapefruit on body weight, lipids, and blood pressure in healthy, overweight adults. *Metabolism*. 2012; 61(7): 1026-35. doi: 10.1016/j.metabol.2011.12.004.
- Fujioka K, Greenway F, Sheard J, Ying Y. The effects of grapefruit on weight and insulin resistance: Relationship to the metabolic syndrome. *Journal of Medicinal Food*. 2006; 9(1): 49-54.

**Omega-3 Fatty Acids**

- Lewis MD, Bailes J. Neuroprotection for the warrior: Dietary supplementation with omega-3 fatty acids. *Military Medicine*. October 2011; 176(10): 1120-7.
- Maroon JC, Bost J. Concussion management at the NFL, college, high school, and youth sports levels. *Clinical Neurosurgery*. 2011; 58: 51-56. [www.cns.org/publications/clinical/58/pdf/Chapter7.pdf](http://www.cns.org/publications/clinical/58/pdf/Chapter7.pdf).
- Mickleborough TD. Omega-3 polyunsaturated fatty acids in physical performance optimization. *International Journal of Sports Nutrition and Exercise Metabolism*. September 2012. [Epub ahead of print]
- Mickleborough TD, Murray RL, Ionescu AA, Lindley MR. Fish oil supplementation reduces severity of exercise-induced bronchoconstriction in elite athletes. *American Journal of Respiratory and Critical Care Medicine*. 2003; 168: 1181–1189.
- Mills JD, Bailes JE, Sedney CL, Hutchins H, Sears B. Omega-3 fatty acid supplementation and reduction of traumatic axonal injury in a rodent head injury model. *Journal of Neurosurgery*. 2011; 114 (1):77-84.
- Tartibian B, Maleki BH, Abbasi A. The effects of ingestion of omega-3 fatty acids on perceived pain and external symptoms of delayed onset muscle soreness in untrained men. *Clinical Journal of Sports Medicine*. March 2009; 19(2): 115-119.
- Tartibian B, Maleki BH, Abbasi A. Omega-3 fatty acids supplementation attenuates inflammatory markers after eccentric exercise in untrained men. *Clinical Journal of Sports Medicine*. March 2011; 21(2): 131-137.

**Ornithine**

- De Bandt JP, Coudray-Lucas C, Lioret N, Lim SK, Saizy R, Giboudeau J, Cynober L. A randomized controlled trial of the influence of the mode of enteral ornithine alpha-ketoglutarate administration in burn patients. *Journal of Nutrition*. 1998; 128(3): 563-569.
- Donati LR, Ziegler R, Pongelli G, Signorini MS. Nutritional and clinical efficacy of ornithine alpha-ketoglutarate in severe burn patients. *Clinical Nutrition*. 1999; 18(5): 301-311.

**Pantothenic Acid**

- Depeint F, Bruce WR, Shangari N, Mehta R, O'Brien PJ. Mitochondrial function and toxicity: Role of the B vitamin family on mitochondrial energy metabolism. *Chemico-Biological Interactions*. October 2006; 163(1-2): 94-112.
- Gibson JC, Stuart-Hill L, Martin S, Gaul C. Nutrition status of junior elite Canadian female soccer athletes. *International Journal of Sports Nutrition and Exercise Metabolism*. December 2011; 21(6): 507-514.
- Institute of Medicine. Dietary reference intakes for thiamin, riboflavin, niacin, vitamin B6, folate, vitamin B12, pantothenic acid, biotin, and choline. Washington, DC: National Academy Press, 1998, 367-368.
- Kelly GS. Pantothenic acid. Monograph. *Alternative Medicine Review*. September 2011; 16(3): 263-274.
- Litoff D, Scherzer H, Harrison J. Effects of pantothenic acid on human exercise capacity. *Journal of Sports Medicine*. 1984; 17: 287.



## References

- Nice C, Reeves AG, Brinck-Johnsen T, Noll W. The effects of pantothenic acid on human exercise capacity. *Journal of Sports Medicine*. 1984; 24: 26-29.
- Plesofsky-Vig N. Pantothenic acid. In *Modern nutrition in health and disease*. 9th ed. Edited by ME Shils, JA Olson, M Shike, and AC Ross. Philadelphia: Lippincott Williams & Wilkins, 1999, 423-432.
- Wall BT, Stephens FB, Marimuthu K, Constantin-Teodosiu D, MacDonald IA, Greenhaff PL. Acute pantothenic acid and cysteine supplementation does not affect muscle coenzyme A content, fuel selection, or exercise performance in healthy humans. *Journal of Applied Physiology*. January 2012; 112(2): 272-278.
- Webster MJ. Physiological and performance responses to supplementation with thiamin and pantothenic acid derivatives. *European Journal of Applied Physiology and Occupational Physiology*. May 1998; 77(6): 486-491.

### **Phosphate Salts**

- Brennan KM, Connolly DA. Effects of sodium phosphate supplementation on maximal oxygen consumption and blood lactate. *Medicine & Science in Sports & Exercise*. 2001; 33(5): S165.
- Brewer CP, Dawson B, Wallman KE, Guelfi KJ. Effect of repeated sodium phosphate loading on cycling time trial performance and  $\text{VO}_2$  peak. *International Journal of Sports Nutrition and Exercise Metabolism*. October 2012. [Epub ahead of print]
- Folland JP, Brickley G. Sodium phosphate loading improves laboratory cycling time-trial performance in trained cyclists. *Journal of Science and Medicine in Sport*. September 2008; 11(5): 464-468.
- Tourville TW, Brennan KM, Connolly DA. The effects of sodium phosphate supplementation on anaerobic power in trained male athletes. *Medicine & Science in Sports & Exercise*. 2001; 33(5): S164.

### **Phosphatidylserine**

- Jager R, Purpura M, Kingsley M. Phospholipids and sports performance. *Journal of the International Society of Sports Nutrition*. July 2007; 4(5): 5. doi:10.1186/1550-2783-4-5.
- Kingsley M. Effects of phosphatidylserine supplementation on exercise humans. *Sports Medicine*. 2006; 36(8): 657-669,
- Kingsley M, Miller IM, Kilduff LP, McEneny J, Benton D. Effects of phosphatidylserine on exercise capacity during cycling in active males. *Medicine & Science in Sports & Exercise*. 2006; 38(1): 64-71,
- Kingsley M, Wadsworth D, Kilduff LP, McEneny J, Benton D. Effects of phosphatidylserine on oxidative stress following intermittent running. *Medicine & Science in Sports & Exercise*. 2005; 37(8): 1300-1306.
- Starks MA, Starks SL, Kingsley M, Purpura M, Jager R. The effects of phosphatidylserine on endocrine response to moderate intensity exercise. *Journal of the International Society of Sports Nutrition*. 2008; 5(11): 11. doi:10.1186/1550-2783-5-11.

### **Piperine**

- Diwan V, Poudval H, Brown L. Piperine attenuates cardiovascular, liver, and metabolic changes in high carbohydrate, high fat-fed rats. *Cell Biochemistry and Biophysics*. 2011. doi: 10.1007/s12013-011-9306-1.

## References

Jin Kim K, Lee MS, Jo K, Hwang JK. Piperidine alkaloids from Piper retrofractum Vahl: Protect against high-fat diet-induced obesity by regulating lipid metabolism and activating AMP-activated protein kinase. *Biochemical and Biophysical Research Communications*. 2011; 41(1): 219-225.

Johnson JJ, Nihal M, Siddiqui IA, Scarlett CO, Bailey HH, Mukhtar H, Ahmad N. Enhancing the bioavailability of resveratrol by combining it with piperine. *Molecular Nutrition and Food Research*. 2011; 55(8): 1169-1176.

Srinivasan K. Black pepper and its pungent principle-piperine: A review of diverse physiological effects. *Critical Reviews in Food Sciences and Nutrition*. 2007; 47: 735-748.

### **Potassium**

Duke Medical Health News. Potassium may help fight osteoporosis: Potassium citrate increases bone-beneficial calcium retention. 2008; Suppl: 9.

Juel C. Changes in interstitial K<sup>+</sup> and pH during exercise: Implications for blood flow regulation. *Applied Physiology, Nutrition, and Metabolism*. October 2007; 32(5): 846-851.

Knochel JP. Rhabdomyolysis and effects of potassium deficiency on muscle structure and function. *Cardiovascular Medicine*. 1978; 3: 247-261.

Knochel JP. Neuromuscular manifestations of electrolyte disorders. *American Journal of Medicine*. 1982; 72: 521-535.

McKenna MJ, Bangsbo J, Renaud JM. Muscle K<sup>+</sup>, Na<sup>+</sup>, and Cl<sup>-</sup> disturbances and Na<sup>+</sup>-K<sup>+</sup> pump inactivation: Implications for fatigue. *Journal of Applied Physiology*. January 2008; 104(10): 288-295.

Nielsen JJ, Mohr M, Larskov C, Kristensen M, Krstrup P, Juel C, Bangsbo J. Effects of high-intensity intermittent training on potassium kinetics and performance in human skeletal muscle. *Journal of Physiology*. February 2004; 554(Pt 3): 857-870.

### **Probiotics**

Callister R, Clancy R, Gleeson M, Cox A, Dorrington M, D'Este C, Pang G, Henriksson A, Pyne D. Effect of Lactobacillus acidophilus probiotic treatment in fatigued athletes with interferon-defect. *Medicine & Science in Sports & Exercise*. May 2006; 38(5): S30.

Clancy RL, Gleeson M, Cox A, Callister R, Dorrington M, D'Este C, Pang G, Pyne D, Fricker P, Henriksson A. Reversal in fatigued athletes of a defect in interferon gamma secretion after administration of Lactobacillus acidophilus. *British Journal of Sports Medicine*. April 2006; 40(4): 351-354.

Cox AJ, Pyne DB, Saunders PU, Fricker PA. Oral administration of the probiotic Lactobacillus fermentum VRI-003 and mucosal immunity in endurance athletes. *British Journal of Sports Medicine*. 2010; 44(4): 222-226.

Gleeson M, Bishop NC, Oliveira M, Tauler P. Daily probiotic's (Lactobacillus casei Shirota) reduction of infection incidence in athletes. *International Journal of Sports Nutrition and Exercise Metabolism*. 2011; 21: 55-64.

Gleeson M, Bishop NC, Oliveira M, McCauley T, Tauler P, Lawrence C. Effects of a Lactobacillus salivarius probiotic intervention on infection, cold symptom duration and severity, and mucosal immunity in endurance athletes. *International Journal of Sports Nutrition and Exercise Metabolism*. August 2012; 22(4): 235-242.

## References

Ritchie ML, Romanuk TN. A meta-analysis of probiotic efficacy for gastrointestinal diseases. *PLoS One*. 2012; 7(4): e34938.

Whorwell PJ, Altringer L, Morel J, Bond Y, Charbonneau D, O'Mahony L, Kiely B, Shanahan F, Quigley EM. Efficacy of an encapsulated probiotic *Bifidobacterium infantis* 35624 in women with irritable bowel syndrome. *American Journal of Gastroenterology*. July 2006; 101(7): 1581-1590.

West, NP, Pyne DB, Cripps AW, Hopkins WG, Eskesen DC, Jairath A, Christophersen CT, Conlon MA, Fricker PA. *Lactobacillus fermentum* (PCC) supplementation and gastrointestinal and respiratory-tract illness symptoms: A randomised control trial in athletes. *Nutrition Journal*. 2011; 10: 30.

### **Pycnogenol**

Belcaro G, Cesarone MR, Errichi S, Zulli C, Errichi BM, Vinciguerra G, Ledda A, Di Renzo A, Stuard S, Dugall M, Pellegrini L, Errichi S, Gizzi G, Ippolito E, Ricci A, Cacchio M, Cipollone G, Ruffini I, Fano F, Hosoi M, Rohdewald P. Treatment of osteoarthritis with Pycnogenol. The SVOS (San Valentino Osteo-arthritis Study): Evaluation of signs, symptoms, physical performance and vascular aspects. *Phytotherapy Research*. April 2008; 22(4): 518-523.

Belcaro G, Luzzi R, Cesinaro Di Rocco P, Cesarone MR, Dugall M, Feragalli B, Errichi BM, Ippolito E, Grossi MG, Hosoi M, Errichi S, Cornelli U, Ledda A, Gizzi G. Pycnogenol® improvements in asthma management. *Panminerva Medica*. September 2011; 53(3 Suppl 1): 57-64.

Bentley DJ, Dank S, Coupland R, Midgley A, Spence I. Acute antioxidant supplementation improves endurance performance in trained athletes. *Research in Sports Medicine*. January 2012; 20(1): 1-12.

Canali R, Comitato R, Schonlau F, Virgili F. The anti-inflammatory pharmacology of Pycnogenol in humans involves COX-2 and 5-LOX mRNA expression in leukocytes. *International Immunopharmacology*. September 2009; 9(10): 1145-1149.

Nishioka K, Takayuki H, Nakamura S, Umemura T, Jitsuiki D, Soga J, Goto C, Chayama K, Yoshizumi M, Higashi Y. Pycnogenol, French maritime pine bark extract, augments endothelium-dependent vasodilation in humans. *Hypertension Research*. 2007; 30: 775-780.

Vinciguerra G, Belcaro G, Cesarone MR, Rohdewald P, Stuard S, Ricci A, Di Renzo A, Hosoi M, Dugali M, Ledda A, Cacchio M, Acerbi G, Fano F. Cramps and muscular pain: Prevention with pycnogenol in normal subjects, venous patients, athletes, claudicants and in diabetic microangiopathy. *Angiology*. May-Jun 2006; 57(3): 331-339.

### **Pyruvate**

Ivy JL. Effect of pyruvate and dihydroxyacetone on metabolism and aerobic endurance capacity. *Medicine & Science in Sports & Exercise*. 1998; 30(6): 837-43.

Kalman D, Colker CM, Wilets I, Roufs JB, Antonio J. The effects of pyruvate supplementation on body composition in overweight individuals. *Nutrition*. May 1999; 15(5): 337-340.

Koh-Banerjee PK, Ferreira MP, Greenwood M, Bowden RG, Cowan PN, Almada AL, Kreider RB. Effects of calcium pyruvate supplementation during training on body composition, exercise capacity, and metabolic responses to exercise. *Nutrition*. March 2005; 21(3): 312-319.

## References

- Morrison MA, Spriet LL, Dyck DJ. Pyruvate ingestion for 7 days does not improve aerobic performance in well-trained individuals. *Journal of Applied Physiology*. 2000; 89(2): 549-56.
- Ostojic SM, Ahmetovic Z. The effect of 4 weeks treatment with a 2-gram daily dose of pyruvate on body composition in healthy trained men. *International Journal for Vitamin and Nutrition Research*. May 2009; 79(3): 173-179.
- Stanko RT, Robertson RJ, Galbreath RW, Reilly JJ, Greenawalt KD, Goss FL. Enhanced leg exercise endurance with a high-carbohydrate diet and dihydroxyacetone and pyruvate. *Journal of Applied Physiology*. 1990a; 69 (5): 1651-1656.
- Stanko RT, Robertson RJ, Spina RJ, Reilly JJ, Greenawalt KD, Goss FL. Enhancement of arm exercise endurance capacity with dihydroxyacetone and pyruvate. *Journal of Applied Physiology*. 1990b; 68 (1): 119-124.
- Van Schuylenbergh R, Van Leemputte M, Hespel P. Effects of oral creatine-pyruvate supplementation in cycling performance. *International Journal of Sport Medicine*. February 2003; 24(2): 144-150.

### **Quercetin**

- Chirumbolo S. The role of quercetin, flavonols and flavones in modulating inflammatory cell function. *Inflammatory and Allergy Drug Targets*. September 2010; 9(4): 263-285.
- Davis JM, Murphy EA, Carmichael MD, Davis B. Quercetin increases brain and muscle mitochondrial biogenesis and exercise tolerance. *American Journal of Physiology, Regulatory, Integrative, and Comparative Physiology*. April 2009; 296(4): R1071-1077.
- Kressler J, Millard-Stafford M, Warren GL. Quercetin and endurance exercise capacity: A systematic review and meta-analysis. *Medicine and Science in Sports and Exercise*. December 2011; 43(12): 2396-2404.
- McAnulty SR, Nieman DC, McAnulty LS, Lynch WS, Jin F, Henson DA. Effect of mixed flavonoids, n-3 fatty acids, and vitamin C on oxidative stress and antioxidant capacity before and after intense cycling. *International Journal of Sports Nutrition and Exercise Metabolism*. August 2011; 21(4): 328-337.

### **Resveratrol**

- Baile CA, Yang JY, Rayalam S, Hartzell DL, Lai CY, Andersen C, Della-Fera MA. Effect of resveratrol on fat mobilization. *Annals of New York Academy of Sciences*. January 2011; 1215: 40-7.
- Lagouge M, Argmann C, Gerhart-Hines Z, Meziane H, Lerin C, Daussin F, Messadeq N, Milne J, Lambert P, Elliot P, Geny B, Laakso M, Puigserver P, Auwerx J. Resveratrol improves mitochondrial function and protects against metabolic disease by activating SIRT1 and PGC-1alpha. *Cell*. December 2006; 127(6): 1109-1122.
- Murase T, Haramizu S, Ota N, Hase T. Suppression of the aging-associated decline in physical performance by a combination of resveratrol intake and habitual exercise in senescence-accelerated mice. *Biogerontology*. August 2009; 10(4): 423-434.
- Tomasello B, Grasso S, Malfa G, Stella S, Favetta M, Renis M. Double-face activity of resveratrol in voluntary runners: Assessment of DNA Damage by comet assay. *Journal of Medicinal Food*. May 2012; 15(5): 441-447.

**Rhodiola Rosea**

De Bock K, Eijnde BO, Ramaekers M, Hespel P. Acute Rhodiola rosea intake can improve endurance exercise performance. *International Journal of Sports Nutrition and Exercise Metabolism*. June 2004; 14: 298–307.

Ishaque S, Shamseer L, Bukutu C, Vohra S. Rhodiola rosea for physical and mental fatigue: A systematic review. *BMC Complementary and Alternative Medicine*. May 2012; 12(1): 70.

Parisi A, Tranchita E, Duranti G, Ciminelli E, Quaranta F, Ceci R, Cerulli C, Borriore P, Sabatini S. Effects of chronic Rhodiola rosea supplementation on sport performance and antioxidant capacity in trained male: Preliminary results. *Journal of Sports Medicine and Physical Fitness*. 2010 Mar; 50(1): 57-63.

**Riboflavin**

Boehnke C, Reuter U, Flach U, Schuh-Hofer S, Einhäupl KM, Arnold G. High-dose riboflavin treatment is efficacious in migraine prophylaxis: an open study in a tertiary care centre. *European Journal of Neurology*. July 2004; 11(7): 475-477.

Rokitzki L, Sagredos A, Keck E, Sauer B, Keul J. Assessment of vitamin B2 status in performance athletes of various types of sports. *Journal of Nutritional Science and Vitaminology (Tokyo)*. February 1994; 40(1): 11-22.

Sato A, Shimovama Y, Ishikawa T, Murayama N. Dietary thiamin and riboflavin intake and blood thiamin and riboflavin concentrations in college swimmers undergoing intensive training. *International Journal of Sports Nutrition and Exercise Metabolism*. June 2011; 21(3): 195-204.

van der Beek EJ, van Dokkum W, Schrijver J, Wedel M, Gaillard AW, Wesstra A, van de Weerd, Hermus RJ. Thiamin, riboflavin, and vitamins B6 and C: Impact of combined restricted intake on functional performance in man. *American Journal of Clinical Nutrition*. 1988;48: 1451–62.

van der Beek EJ, van Dokkum W, Wedel M, Schrijver J, van den Berg H. Thiamin, riboflavin and vitamin B6: Impact of restricted intake on physical performance in man. *Journal of the American College of Nutrition*. 1994;13:629–40.

Woolf K, Manore MM. B-vitamins and exercise: Does exercise alter requirements? *International Journal of Sports Nutrition and Exercise Metabolism*. October 2006; 16(5): 453-484.

**Rutaecarpine**

Kim SJ, Lee SJ, Lee S, Chae S, Han MD, Mar W, Nam KW. Rutaecarpine ameliorates body weight gain through the inhibition of orexigenic neuropeptides NPY and AgRP in mice. *Biochemical and Biophysical Research Communications*. 2009; 389(3): 437–442.

Kobayashi Y, Nakano Y, Kizaki M, Hoshikuma K, Yokoo Y, Kamiya T. Capsaicin-like anti-obese activities of evodiamine from fruits of *Evodia rutaecarpa*, a vanilloid receptor agonist. *Planta Medica*. October 2001; 67(7): 628-633.

Moon TC, Murakami M, Kudo I, Son KH, Kim HP, Kang SS, Chang HW. A new class of COX-2 inhibitor, rutaecarpine from *Evodia rutaecarpa*. *Inflammation Research*. December 1999; 48(12): 621-625.

Wang GJ, Wu XC, Chen CF, Lin LC, Huang YT, Shan J, Pang PKT. Vasorelaxing action of rutaecarpine: Effects of rutaecarpine on calcium channel activities in

vascular endothelial and smooth muscle cells. *Journal of Pharmacology*. June 1999; 289(3): 1237-1244.

### **S-adenosyl methionine (SAME)**

Najm W, Reinsch S, Hoehler F, Tobis J, Harvey P. S-Adenosyl methionine (SAME) versus celecoxib for the treatment of osteoarthritis symptoms: A double-blind cross-over trial. *BMC Musculoskeletal Disorders*. 2004. doi:10.1186/1471-2474-5-6.

Sofken KL, Lee WL, Babsell RB, Agelli M, Berman BM. Safety and efficacy of S-adenosylmethionine (SAME) for osteoarthritis. *Journal of Family Practice*. 2002; 51(5): 425-430.

Williams A, Girard C, Jui D, Sabina A, Katz K. SAdenosylmethionine (SAME) as treatment for depression: A systemic review. *Clinical and Investigative Medicine*. 2005; 28(35): 132-139.

### **Salt**

Godek SF, Peduzzi, Burkholder R, Condon S, Doshimer G, Bartolozzi AR. Sweat rates, sweat sodium concentrations, and sodium losses in 3 groups of professional football players. *Journal of Athletic Training*. 2010; 45(4): 364-371.

Hew-Butler TD, Sharwood K, Collins M, Speedy D, Noakes T. Sodium supplementation is not required to maintain serum sodium concentrations during an Ironman triathlon. *British Journal of Sports Medicine*. 2006; 40(3): 255-259.

Horswill CA, Stofan JR, Lacambra M, Toriscelli TA, Eichner ER, Murray R. Sodium balance during U. S. football training in the heat: cramp-prone vs. reference players. *International Journal of Sports Medicine*. 2009;30(11):789-794.

Sims ST, Rehrer NF, Bell ML, Cotter JD. Preexercise sodium loading aids fluid balance and endurance for women exercising in the heat. *Journal of Applied Physiology*. 2007;103(2):534-541.

Sims ST, van Vliet L, Cotter JD, Rehrer NJ. Sodium loading aids fluid balance and reduces physiological strain of trained men exercising in the heat. *Medicine & Science in Sports & Exercise*. 2007; 39(1): 123-130.

### **Sea Buckthorn**

Larmo P, Alin J, Salminen E, Kallio H, Tahvonen R. Effects of sea buckthorn berries on infections and inflammation: A double-blind, randomized, placebo-controlled trial. *European Journal of Clinical Nutrition*. September 2008; 62(9): 1123-1130.

Qiao XF, Pan HY. The effects of hippophae juice on free radical metabolism of rat skeletal muscle and the content of Hb, Ck, T in blood. *Chinese Journal of Applied Physiology*. August 2010; 26(3): 345-347.

Zheng X, Long W, Liu G, Zhang X, Yang X. Effect of seabuckthorn (*Hippophae rhamnoides* ssp. *sinensis*) leaf extract on the swimming endurance and exhaustive exercise-induced oxidative stress of rats. *Journal of the Science of Food and Agriculture*. March 2012; 92(4): 736-742.

### **Selenium**

Bjerre B, von Schenck H, Sorbo B. Hyposelaemia: Patients with gastrointestinal diseases are at risk. *Journal of Internal Medicine*. 1989; 225: 85-8.

Huang Z, Rose AH, Hoffman PR. The role of selenium in inflammation and immunity: From molecular mechanisms to therapeutic opportunities. *Antioxidant & Redox Signalling*. April 2012; 16(7): 705-743.

## References

Jiang X, Dong J, Wang B, Yin X, Qin L. Effects of organic selenium supplement on glutathione peroxidase activities: A meta-analysis of randomized controlled trials. *Wei Sheng Yan Jiu*. January 2012; 41(1): 120-123.

Margaritis I, Rousseau AS, Hininger I, Palazzetti S, Arnaud J, Roussel AM. Increase in selenium requirements with physical activity loads in well-trained athletes is not linear. *Biofactors*. 2005; 23(1): 45-55.

Rokitzi L, Logemann E, Keul J. Selenium metabolism and glutathione peroxidase activity of endurance athletes in rest and under exertion. *Schweiz Z Sportmed*. March 1993; 41(1): 21-27.

Tessier F, Hida H, Favier A, Marconnet P. Muscle GSH-Px activity after prolonged exercise, training, and selenium supplementation. *Biological Trace Element Research*. January-March 1995; 47(1-3): 279-85.

### **SierraSil**

Miller MJS, Mehta K, Kunte S, Raut V, Gala J, Dhumale R, Shukla A, Tupalli H, Parikh H, Bobrowski P, Chaudhary J. Early relief of osteoarthritis symptoms with a natural mineral supplement and a herbomineral combination: A randomized controlled trial. *Journal of Inflammation*. 2005. doi:10.1186/1476-9255-2-11.

### **Sodium Bicarbonate and Sodium Citrate**

Carr AJ, Hopkins WG, Gore CJ. Effects of acute alkalosis and acidosis on performance: A meta-analysis. *Sports Medicine*. October 2011; 41(10): 801-814.

McNaughton L, Dalton B, Palmer G. Sodium bicarbonate can be used as an ergogenic aid in high-intensity, competitive cycle ergometry of 1 h duration. *European Journal of Applied Physiology and Occupational Physiology*. June 1999; 80(1): 64-9.

Oöpik V, Saaremets I, Medijainen L, Karelson K, Janson T, Timpmann S. Effects of sodium citrate ingestion before exercise on endurance performance in well trained college runners. *British Journal of Sports Medicine*. December 2003; 37(6): 485-489.

Oöpik V, Saaremets I, Timpmann S, Medijainen L, Karelson K. Effects of acute ingestion of sodium citrate on metabolism and 5-km running performance: A field study. *Canadian Journal of Applied Physiology*. December 2004; 29(6): 691-703.

### **Soy Protein**

American Dietetic Association (ADA), Dietitians of Canada (DOC), and American College of Sports Medicine (ACSM). Position of the American Dietetic Association, Dietitians of Canada, and the American College of Sports Medicine: Nutrition and athletic performance. *Journal of the American Dietetic Association*. 2000; 100(12): 1543-56.

Poortmans JR, Dellalieux O. Do regular high protein diets have potential health risks on kidney function in athletes? *International Journal of Sport Nutrition and Exercise Metabolism*. 2000; 10(1): 28-38.

Reidy P, Walker DK, Dickinson JM, Gundermann DM, Drummond MJ, Timmerman KL, Fry CS, Cope M, Mukherkea R, Volpi E, Rasmussen BB. Effect of protein blend vs whey protein ingestion on muscle protein synthesis following resistance exercise. *FASEB Journal*. 2012; 26: 1013.9

**Superoxide Dismutase (SOD)**

Skarpanska-Stejnborn A, Pilaczynska-Szczesniak L, Basta P, Deskur-Smielecka E, Woitas-Slubowska D, Adach. Effects of oral supplementation with plant superoxide dismutase extract on selected redox parameters and an inflammatory marker in a 2,000-m rowing-ergometer test. *International Journal of Sport Nutrition and Exercise Metabolism*. 2011 Apr; 21(2): 124-34.

**Synephrine**

Fugh-Berman A, Myers A. Citrus aurantium, an ingredient of dietary supplements marketed for weight loss: Current status of clinical and basic research. *Experimental Biology and Medicine*. 2004; 229(8): 698-704.

Haaz S, Fontaine KR, Cuttler G, Limdi N, Perumean-Chaney S, Allison DB. Citrus aurantium and synephrine alkaloids in the treatment of overweight and obesity: An update. *Obesity Reviews*. 2006; 7(1): 79-88.

Haller CA. Human pharmacology of a performance-enhancing dietary supplement under resting and exercise conditions. *British Journal of Clinical Pharmacology*. 2008; 65(6): 833-840.

Seifert J, Nelson A, Devonish J, Burke E, Stohs S. Effect of acute administration of an herbal preparation on blood pressure heart rate in humans. *International Journal of Medical Sciences*. 2011; 8(3): 192-197.

Stohs SJ, Preuss HG, Keith SC, Keith PL, Miller H, Kaats GR. Effects of p-Synephrine along and in combination with selected bioflavonoids on resting metabolism, blood pressure, heart rate and self-reported mood changes. *International Journal of Medical Sciences*. 2011; 8(4): 295-301.

Stohs SJ, Preuss HG, Shara M. A review of the receptor-binding properties of p-Synephrine as related to its pharmacological effects. *Oxidative Medicine and Cellular Longevity*. 2011. doi:10.1155/2011/482973.

**Tart Cherry**

Connolly DA, McHugh MP, Padilla-Zakour OI, Carlson L, Sayers SP. Efficacy of a tart cherry juice blend in preventing the symptoms of muscle damage. *British Journal of Sports Medicine*. August 2006; 40(8): 679-683.

Howatson G, Bell PG, Tallent J, Middleton B, McHugh MP, Ellis J. Effect of tart cherry juice (*Prunus cerasus*) on melatonin levels and enhanced sleep quality. *European Journal of Nutrition*. October 30, 2011; 51(8): 909-916. [Epub ahead of print]. doi 10.1007/s00394-011-0263-7.

Howatson G, McHugh MP, Hill JA, Brouner J, Jewell AP, van Someren KA, Shave RE, Howatson SA. Influence of tart cherry juice on indices of recovery following marathon running. *Scandinavian Journal of Medicine and Science in Sport*. December 2010; 20(6): 843-852.

Kuehl KS, Perrier ET, Elliott DL, Chesnutt JC. Efficacy of tart cherry juice in reducing muscle pain during running: A randomized controlled trial. *Journal of the International Society of Sports Nutrition*. May 2010; 7: 17.

**Taurine**

Astorino TA, Matera AJ, Basinger J, Evans M, Schurman T, Marquez R. Effects of Red Bull energy drink on repeated sprint performance in women athletes. *Amino Acids*. May 2012; 42(5): 1803-1808.



## References

- Goodman CA, Horvath D, Stathis C, Mori T, Croft K, Murphy RM, Hayes A. Taurine supplementation increases skeletal muscle force production and protects muscle function during and after high-frequency in vitro stimulation. *Journal of Applied Physiology*. July 2009; 107(1): 144-154.
- Gwacham N, Wagner DR. Acute effects of a caffeine-aurine energy drink on repeated sprint performance of American college football players. *International Journal of Sports Nutrition and Exercise Metabolism*. April 2012; 22(2): 109-116.
- Hamilton EJ, Berg HM, Easton CJ, Bakker AJ. The effect of taurine depletion on the contractile properties and fatigue in fast-twitch skeletal muscle of the mouse. *Amino Acids*. October 2006; 31(3): 273-278.
- Rutherford JA, Spriet LL, Stellingwerff T. The effect of acute taurine ingestion on endurance performance and metabolism in well-trained cyclists. *International Journal of Sports Nutrition and Exercise Metabolism*. August 2010; 20(4): 322-329.
- Yatabe Y, Miyakawa S, Ohmori H, Mishima H, Adachi T. Effects of taurine administration on exercise. *Advances in Experimental Medicine and Biology*. 2009; 643: 245-252.
- Thiamine**
- Bautista-Hernández VM, López-Ascencio R, Del Toro-Equihua M, Vásquez C. 2008. Effect of thiamine pyrophosphate on levels of serum lactate, maximum oxygen consumption and heart rate in athletes performing aerobic activity. *Journal of International Medical Research*. 2008; 36(6): 1220-1226.
- Christensen DL, Jakobsen J, Friis H. Vitamin and mineral intake of twelve adolescent male Kalenjin runners in western Kenya. *East African Medical Journal*. December 2005; 82(12): 637-642.
- Benton D, Griffiths R, Haller J. Thiamine supplementation mood and cognitive functioning. *Psychopharmacology*. January 1997; 129(1): 66-71. Food and Nutrition Board, Institute of Medicine. Thiamin. *Dietary Reference Intakes: Thiamin, riboflavin, niacin, vitamin B6, vitamin B12, pantothenic acid, biotin, and choline*. Washington DC: National Academies Press, 1998, 58-86.
- Manore MM. Effect of physical activity on thiamine, riboflavin, and vitamin B-6 requirements. *American Journal of Clinical Nutrition*. August 2000; 72(2): 598S-606S.
- Masuda H, Matsumae H, Masuda T, Hatta H. A thiamin derivative inhibits oxidation of exogenous glucose at rest, but not during exercise. *Journal of Nutritional Science and Vitaminology*. 2010; 56(1): 9-12.
- Nozaki S, Mizuma H, Tanaka M, Jin G, Tahara T, Mizuno K, Yamato M, Okuyama K, Eguchi A, Akimoto K, Kitayoshi T, Mochizuki-Oda N, Kataoka Y, Watanabe Y. Thiamine tetrahydrofurfuryl disulfide improves energy metabolism and physical performance during physical-fatigue loading in rats. *Nutrition Research*. December 2009; 29(12): 867-872.
- Sato A, Shimoyama Y, Ishikawa T, Nobuko M. Dietary Thiamin and riboflavin concentration in college swimmers undergoing intensive training. *International Journal of Sports Nutrition and Exercise Metabolism*. June 2011; 21(3): 195-204.
- Webster MJ. Physiological and performance responses to supplementation with thiamin and pantothenic acid derivatives. *European Journal of Applied Physiology and Occupational Physiology*. May 1998; 77(6): 486-491.

**Tribulus**

Antonio J, Uelmen J, Rodriguez R, Earnest C. The effects of *Tribulus terrestris* on body composition and exercise performance in resistance-trained males. *International Journal of Sports Nutrition and Exercise Metabolism*. 2000; 10: 208-215.

Brown GA, Vukovich MD, Martini ER, Kohut ML, Franke WD, Jackson DA, King DS. Effects of androstenedione-herbal supplementation on serum sex hormone concentrations in 30- to 59-year-old men. *International Journal of Vitamin Nutrition Research*. 2001; 71(5): 293-301.

Rogerson S, Riches CR, Jennnings C, Weatherby RP, Meir RA, Marshall-Gradisnik SM. The effect of five weeks of *Tribulus terrestris* supplementation on muscle strength and body composition during preseason training in elite rugby league players. *Journal of Strength and Conditioning Research*. 2007; 21(2): 348-353.

**Tyrosine**

Chinevere TD, Sawyer RD, Creer AR, Conlee RK, Parcell AC. Effects of L-tyrosine and carbohydrate ingestion on endurance exercise performance. *Journal of Applied Physiology*. 2002; 93: 1590-1597.

Tumility L, Davison G, Beckmann M, Thatcher R. Oral tyrosine supplementation improves exercise capacity in the heat. *European Journal of Applied Physiology*. 2011; 111: 2941-2950.

Watson P, Hasegawa H, Roelands B, Piacentini MF, Looverie R, Meeusen R. Acute dopamine/noradrenaline reuptake inhibition enhances human exercise performance in warm but not temperate conditions. *Journal of Physiology*. 2005; 565(3): 873-883.

**Undenatured Type II Collagen**

Crowley DC, Lau FC, Sharma P, Evans M, Guthrie N, Bagchi M, Bagchi D, Dey DK, Raychaudhuri SP. Safety and efficacy of undenatured type II collagen in the treatment of osteoarthritis of the knee: A clinical trial. *International Journal of Medical Sciences*. 2009; 6(6): 312-321.

Deeparle, LA, Gupta RC, Canerdy TD, Goad JT, D'Altilio M, Bagchi M, Bagchi D. Efficacy and safety of glycosylated undenatured type-II collagen (UC-II) in therapy of arthritic dogs. *Journal of Veterinary Pharmacology and Therapeutics*. 2005; 28: 385-390.

Gupta RC, Canerdy TD, Skaggs P, Stocker A, Zyrkowski G, Burke R, Wegford K, JGoad JT, Rohde K, Barnett D, DeWees W, Bagchi M, Bagchi D. Therapeutic efficacy of undenatured type-II collagen (UC-II) in comparison to glucosamine and chondroitin in arthritic horses. *Veterinary Pharmacology and Therapeutics*. 2010; 32: 577-584.

Marone PA, Lau FC, Gupta RC, Bagchi M, Bagchi D. Safety and toxicological evaluation of undenatured type II collagen. *Toxicology Mechanisms and Methods*. 2010; 20(4): 175-189.

**Valerian**

Barton DL, Atherton PA, Cauer BA, Moore DF, Mattar BI, LaVasseur BI, Towland KM, Zon RT, LeLindqwister NA, Najargoje GG, Morgenthaler RI, Sloan JA, Loprinzi CL. The use of valeriana officinalis in improving sleep in patients who are undergoing treatment for cancer: A phase III randomized placebo-controlled, double-blind study: NCCTG Trial, N01C5. *Journal of Support Oncology*. 2011; 9(1): 24-31.

## References

- Bent, S, Padula A, Moore D, Patterson M, Mehling W. Valerian for sleep: a systematic review and meta-analysis. *American journal of Medicine*. 2006; 119(12): 1005-1012.
- Hadley S, Petry JJ. Valerian. *Complementary and Alternative Medicine*. 2003; 67(8): 1755-1758.
- Salter S, Brownie S. Treating primary insomnia: The efficacy of valerian and hops. *Australian Family Physician*. 2010; 39(6): 433-437.
- Taibi DM, Landis CA, Petry H, Vitiello MV. A systematic review of valerian as a sleep aid: Safe but not effective. *Sleep Medicine Review*. 2007; 11(3): 209-230.

### **Vanadium**

- Fawcett JP, Farguhar SJ, Walker RJ, Thou T, Lowe G, Goulding A. The effect of oral vanadyl sulfate on body composition and performance in weight-training athletes. *International Journal of Sports Nutrition*. 1996; 6(4): 383-390.
- Jentijens RL, Jeukendrup AE. Effect of acute and short-term administration of vanadyl sulphate on insulin sensitivity in healthy active humans. *International Journal of Sports Nutrition and Exercise Metabolism*. 2002; 12(4): 470-479.
- Vanadium/Vanadyl Sulfate. *Alternative Medicine Review*. 2009; 14(2): 177-180.

### **Vitamin B12**

- Lukaski HC. Vitamin and mineral status: Effects on physical performance. *Nutrition*. July-August 2004; 20(7-8): 632-644.
- Tin-May T, Ma-Win M, Khin-Sann A, Mya-Tu M. The effect of vitamin B12 on physical performance capacity. *British Journal of Nutrition*. September 1978; 40(2): 269-273.

### **Vitamin C**

- Fukushima R, Yamazaki E. Vitamin C requirement in surgical patients. *Current Opinion in Clinical Nutrition and Metabolic Care*. November 2010; 13(6): 669-676.
- Gomez-Cabrera MC, Domenech E, Romagnoli M, Arduini A, Borrás C, Pallardo FV, Sastre J, Viña J. Oral administration of vitamin C decreases muscle mitochondrial biogenesis and hampers training-induced adaptations in endurance performance. *American Journal of Clinical Nutrition*. January 2008; 87(1): 142-149.
- Peters EM, Anderson R, Nieman DC, Fickl H, Jogessar V. Vitamin C supplementation attenuates the increases in circulating cortisol, adrenaline and anti-inflammatory polypeptides following ultramarathon running. *International Journal of Sports Medicine*. October 2001; 22(7): 537-543.

### **Vitamin D**

- Binkley N, Novotny R, Krueger D, Kawahara T, Daida YG, Lensmeyer G, Hollis BW, Drezner MK. Low vitamin D status despite abundant sun exposure. *Journal of Clinical Endocrinology and Metabolism*. June 2007; 92(6): 2130-2135.
- Burgi AA, Gorham ED, Garland CF, Mohr SB, Garland FC, Zeng K, Thompson K, Lappe JM. High serum 25-hydroxyvitamin D is associated with a low incidence of stress fractures. *Journal of Bone and Mineral Research*. October 2011; 26(10): 2371-2377.
- Close GL, Russell J, Cobley JN, Owens DJ, Wilson G, Gregson W, Fraser WD, Morton JP. Assessment of vitamin D concentration in non-supplemented professional athletes and healthy adults during the winter months in the UK: Implications for skeletal muscle function. *Journal of Sports Sciences*. October 2012 [Epub ahead of print].

## References

- Constantini NW, Arieli R, Chodick G, Dubnov-Raz G. High prevalence of vitamin D insufficiency in athletes and dancers. *Clinical Journal of Sport Medicine*. September 2010; 20(5): 368-71.
- Kenny AM, Biskup B, Robbins B, Marcella G, Buleson JA. Effects of vitamin D supplementation on strength, physical function, and health perception in older, community-dwelling men. *Journal of the American Geriatric Society*. December 2003; 51(12): 1762-1767.
- Larson-Meyer DE, Willis KS. Vitamin D and athletes. *Current Sports Medicine Reports*. July-August 2010; 9(4): 220-226.
- Lovell G. Vitamin D status of females in an elite gymnastics program. *Clinical Journal of Sport Medicine*. March 2008; 18(2): 159-61.

### **Vitamin E**

- Mastaloudis A, Leonard SW, Traber MG. Oxidative stress in athletes during extreme endurance exercise. *Free Radical Biology and Medicine*. October 2001; 31(7): 911-922.
- Mastaloudis A, Morrow JD, Hopkins DW, Devaraj S, Traber MG. Antioxidant supplementation prevents exercise-induced lipid peroxidation, but not inflammation, in ultramarathon runners. *Free Radical Biology and Medicine*. May 2004; 36(10): 1329-1341.
- McGinley C, Shafat A, Donnelly AE. Does antioxidant vitamin supplementation protect against muscle damage? *Sports Medicine*. 2009; 39(12): 1011-32.
- Takanami Y, Iwane H, Kawai Y, Shimomitsu T. Vitamin E supplementation and endurance exercise: Are there benefits? *Sports Medicine*. February 2000; 29(2): 73-83.

### **Whey Protein**

- Hulmi JJ, Lockwood CM, Stout JR. Effect of protein/essential amino acids and resistance training on skeletal muscle hypertrophy: A case for whey protein. *Nutrition and Metabolism*. 2010. doi:10.1186/1743-7075-7-51.
- Kerksick C, Harvey T, Stout J, Campbell B, Wilborn C, Kreider R, Kalman D, Ziegenfuss T, Lopez H, Landis J, Ivy JL, Antonio J. International Society of Sports Nutrition position stand: Nutrient timing. *Journal of the International Society of Sports Nutrition*. 2008; 5(17). doi: 10.1186/1550-2783-5-17.
- Moore DR, Robinson MJ, Fry JL, Tang JE, Glover EI, Wilkinson SB, T, Tarnopolsky MA, Phillips SM. Ingested protein dose response of muscle and albumin protein synthesis after resistance exercise in young men. *American Journal of Clinical Nutrition*. 2009; 89: 161-168.
- Morifuji M, Kanda A, Ishizaka M, Baba S, Fukuda K, Matsumoto H, Koga J, Kawana K, Kanegae M, Higuchi M. Post-exercise carbohydrate plus whey comparison of different sources and degrees of hydrolysis of dietary protein hydrolysates supplementation increases skeletal muscle glycogen level: effect on plasma amino acids, dipeptides, and insulin responses in rats. *Journal of Agricultural and Food Chemistry*. 2010; 38(4): 1109-1115.
- Pennings B, Boirie Y, Senden JM, Gijsen APA, Kuipers H, van Loon LJ. Whey protein stimulates postprandial muscle protein accretion more effectively than do casein and casein hydrolysate in older men. *American Journal of Clinical Nutrition*. May 2011; 93(5): 997-1005.

Tang JE, Moore DR, Kujibida GW, Tarnopolsky MA, Phillips SM. Ingestion of whey hydrolysate, casein, or a soy protein isolate: Effects on mixed muscle protein synthesis at rest and following resistance exercise in young men. *Journal of Applied Physiology*. 2009; 107: 987-992.

### **Willow Bark**

Nahrstedt A, Schmidt M, Jaggi R, Metz J, Khayyal MT. Willow bark extract: The contribution of polyphenols to the overall effect. *Wien Med Wochenschr*. 2007; 157(13-14): 348-351.

Shakibaei M, Allaway D, Nebrich S, Mobasheri A. Botanical extracts from rosehip (*Rosa canina*), willow bark (*Salix alba*), and nettle leaf (*Urtica dioica*) suppress IL-1 $\beta$ -Induced NF $\kappa$ B activation in canine articular chondrocytes. *Evidence-Based Complementary and Alternative Medicine*. 2012. doi:10.1155/2012/509383.

Schmid B, Ludtke R, Selbmann HK, Kotter I, Tschirdewahn B, Schaffner W, Heide L. Efficacy and tolerability of a standardized willow bark extract in patients with Osteoarthritis: Randomized placebo-controlled, double blind clinical trial. *Phytotherapy Research*. 2001; 15: 344-35.

Vlachoianis JE, Cameron M, Chrubasik S. A systematic review of the effectiveness of willow bark for musculoskeletal pain. *Phytotherapy Research*. 2009; 23(7): 897-900.

Vlachoianis JE, Magora F, Chrubasik S. Willow species and aspirin: Different mechanism of actions. *Phytotherapy Research*. 2011; 25(7): 1102-1104. doi:10.1002/ptr.3386.

### **Withania Somnifera**

Archana R, Namasivayam A. Antistressor effect of *Withania somnifera*. *Journal of Ethnopharmacology*. 1999; 64: 91-93.

Bhattacharya S K, Muruganandam AV. Adaptogenic activity of *Withania somnifera*: An experimental study using a rat model of chronic stress. *Pharmacology Biochemistry and Behavior*. 2003; 75: 547-555.

Dhuley JN. Adaptogenic and cardioprotective action of ashwagandha in rats and frogs. *Journal of Ethnopharmacology*. 2000; 70: 57-63.

Kulkarni SK, Dhir A. *Withania somnifera*: An Indian ginseng. *Progress in Neuro-Psychopharmacology & Biological Psychiatry*. 2008; 32(5): 1093-1105.

Sandhu JS, Shah B, Shenoy S, Chauhan S, Lavekar G, Padhi M. Effects of *Withania somnifera* (Ashwagandha) and *Terminalia arjuna* (Arjuna) on physical performance and cardiorespiratory endurance in healthy young adults. *International Journal of Ayurveda Research*. 2010; 1(3): 144-149.

Sumantran V, Chandwaskar R, Joshi AK, Boddul S, Patwardhan B, Chopra A, Wagh UV. The relationship between chondroprotective and anti-inflammatory effects of *Withania somnifera* root and glucosamine sulphate on human osteoarthritic cartilage in vitro. *Phytotherapy Research*. 2008; 22: 1342-1348.

### **Zinc**

Chuong CJ, Dawson EB. Zinc and copper levels in premenstrual syndrome. *Fertility and Sterility*. August 1994; 62(2): 313-320.

de Oliveira Kde J, Donangelo CM, de Oliveira AV Jr, da Silveira CL, Koury JC. Effect of zinc supplementation on the antioxidant, copper, and iron status of physically active adolescents. *Cell Biochemistry and Function*. April 2009; 27(3): 162-166.

- Kara E, Gunay M, Cicioglu I, Ozal M, Kilic M, Mogulkoc R, Baltaci AK. Effect of zinc supplementation on antioxidant activity in young wrestlers. *Biological Trace Element Research*. April 2010; 134(1): 55-63.
- Kara E, Ozal M, Gunay M, Kilic M, Baltaci AK, Mogulkoc R. Effects of exercise and zinc supplementation on cytokine release in young wrestlers. *Biological Trace Element Research*. December 2011; 143(3): 1435-1440.
- Lukaski HC. Low dietary zinc decreases erythrocyte carbonic anhydrase activities and impairs cardiorespiratory function in men during exercise. *American Journal of Clinical Nutrition*. May 2005; 81(5): 1045-1051.

### **ZMA**

- Brilla LR, Conte V. Effects of a novel zinc-magnesium formulation on hormones and strength. *Journal of Exercise Physiology Online*. 2000; 3: 26-36.
- Koehler K, Parr MK, Geyer H, Mester J, Schanzer W. Serum testosterone and urinary excretion of steroid hormone metabolites after administration of a high-dose zinc supplement. *European Journal of Clinical Nutrition*. 2009; 63: 65-70.
- Wilborn CD, Kerksick CM, Campbell BI, Taylor LW, Marcello BM, Rasmussen CJ, Greenwood MC, Almada A, Kreider RB. Effects of zinc magnesium aspartate (ZMA) supplementation on training adaptations and markers of anabolism and catabolism. *Journal of the International Society of Sports Nutrition*. 2004; 1(2): 12-20.

## **Chapter 4**

### **Master-Level Athletes**

- Breen L, Phillips SM. Skeletal muscle protein metabolism in the elderly: Interventions to counteract the “anabolic resistance” of ageing. *Nutrition & Metabolism*. 2011; 8(68). Accessed online: [www.nutritionandmetabolism.com/content/8/1/68](http://www.nutritionandmetabolism.com/content/8/1/68).
- Hurley BF, Hanson ED, Sheaff AK. Strength training as a countermeasure to aging muscle and chronic disease. *Sports Medicine*. 2011; 41(4): 289-306.
- Maharam LG, Bauman PA, Kalman D, Skolnik H, Perle SM. Masters athletes: Factors affecting performance. *Sports Medicine*. 1999; 28(4): 273-285.
- Pae M, Meydani SN, Wu D. The role of nutrition in enhancing immunity in aging. *Ageing and Disease*. 2012; 3(1): 91-129.
- Riggs BL, Melton LJ. The prevention and treatment of osteoporosis. *The New England Journal of Medicine*. 1992; 327: 620-627.
- Tanaka H, Seals DR. Endurance exercise performance in masters athletes: A ge-associated changes and underlying physiological mechanisms. *Journal of Physiology*. 2008; 586(1): 55-63.

### **Children and Adolescent Athletes**

- Bailey RL, Fulgoni VL, Keast DR, Lentino CV, Dwyer JT. Do dietary supplements improve micronutrient sufficiency in children and adolescents? *Journal of Pediatrics*.
- Baechle TR, Earle RW. *Essentials of strength training and conditioning*. Champaign, IL: Human Kinetics, 2008, 141-150.
- Nemet D, Eliakim A. Pediatric sports nutrition: An update. *Current Opinion in Clinical Nutrition and Metabolic Care*. 2009; 12: 304-309.
- Petrie, Heather J., Elizabeth A. Stover, Craig A. Horswill. Nutritional Concerns for the child and adolescent competitor. *Nutrition* 20, (2004): 620-631.

## References

- Rowland T. Fluid replacement requirements for child athletes. *Sports Medicine*. 2011; 41(4): 279-288.
- Singh M. Role of micronutrients for physical growth and mental development. *Indian Journal of Pediatrics*. 2004; 71: 59-62.
- Female Athletes**
- Adam-Perrot A, Clifton P, Brouns F. Low-carbohydrate diets: nutritional and physiological aspects. *Obesity Review*. Feb 2006; 7(1): 49-58.
- Arieli R, Constantini N. Energy balance among female athletes. *Harefuah*. February 2012; 151(2): 82-85, 128.
- Bilsborough SA, Crowe TC. Low-carbohydrate diets: what are the potential short- and long-term health implications? *Asia Pacific Journal of Clinical Nutrition*. 2003; 12(4): 396-404.
- Della Valle DM, Haas JD. Impact of iron depletion without anemia on performance in trained endurance athletes at the beginning of a training season: A study of female collegiate rowers. *International Journal of Sports Nutrition and Exercise Metabolism*. December 2011; 21(6): 501-506.
- Doyle-Lucas AF, Akers JD, Davy BM. Energetic efficiency, menstrual irregularity, and bone mineral density in elite professional female ballet dancers. *Journal of Dance Medicine & Science*. 2010; 14(4): 146-154.
- Gabel KA. Special nutritional concerns for the female athlete. *Current Sport Medicine Reports*. June 2006; 5(4): 187-191.
- Gibson JC, Stuart-Hill L, Martin S, Gaul C. Nutrition status of junior elite Canadian female soccer athletes. *International Journal of Sports Nutrition and Exercise Metabolism*. December 2011; 21(6): 507-514.
- Hauswirth C, Le Meur Y. Physiological and nutritional aspects of post-exercise recovery: Specific recommendations for female athletes. *Sports Medicine*. October 2011; 41(10): 861-882.
- Hoch AZ, Stravarakos JE, Schimke JE. Prevalence of female athlete triad characteristics in a club triathlon team. *Archives of Physical Medicine and Rehabilitation*. May 2007; 88(5): 681-682.
- McClung JP. Iron status and the female athlete. *Journal of Trace Elements in Medicine and Biology*. June 2012; 26(2-3): 124-126.
- Nattiv A, Loucks AB, Manore MM, Sanborn CF, Sundbot-Borgen J, Warren MP. American College of Sports Medicine position stand: The female athlete triad. *Medicine & Science in Sports & Exercise*. October 2007; 39(10): 1867-1882.
- Quah YV, Poh BK, Ng LO, Noor ML. The female athlete triad among elite Malaysian athletes: Prevalence and associated factors. *Asia Pacific Journal of Clinical Nutrition*. 2009; 18(2): 200-208.
- Rodriguez NR, Di Marco NM, Langley S. American College of Sports Medicine position stand. Nutrition and athletic performance. *Medicine and Science in Sports and Exercise*. March 2009; 41(3): 709-731.
- Rosner MH, Kirven J. Exercise-associated hyponatremia. *Clinical Journal of the American Society of Nephrology*. January 2007; 2(1): 151-161.
- Thein-Nissenbaum JM, Carr KE. Female athlete triad syndrome in the high school athlete. *Physical Therapy in Sport*. August 2011; 12(3): 108-116.

Torstveit MK, Sundgot-Borgen J. The female athlete triad: Are elite athletes at increased risk? *Medicine & Science in Sports & Exercise*. February 2005; 37(2): 184-193.

Wentz L, Liu PY, Haymes E, Ilich JZ. Females have a greater incidence of stress fractures than males in both military and athletic populations: A systemic review. *Military Medicine*. April 2011; 176(4): 420-430.

### **Injured Athletes**

Frankenfield D. Energy expenditure and protein requirements after traumatic injury. *Nutrition in Clinical Practice*. 2006; 21(5): 430-437.

Tipton K. Nutrition for acute-exercise-induced injuries. *Annals of Nutrition & Metabolism*. 2010; 57(Suppl 2): 43-53.

### **Athletes With Diabetes**

Althuis MD, Jordan NE, Ludington EA, Wittes JT. Glucose and insulin responses to dietary chromium supplements: A meta-analysis. *American Journal of Clinical Nutrition*. 2002; 76: 148-55.

Ansar H, Mazloom Z, Kazemi F, Hejazi N. Effect of alpha-lipoic acid on blood glucose, insulin resistance, and glutathione peroxidase of type 2 diabetic patients. *Saudi Medical Journal*. June 2011; 32(6): 584-586

Ashraf R, Khan RA, Ashraf I. Garlic (*Allium sativum*) supplementation with standard antidiabetic agent provides better diabetic control in type 2 diabetes patients. *Pakistan Journal of Pharmaceutical Science*. October 2011; 24(4): 565-70.

Bartlett HE, Eperjesi F. Nutritional supplementation for type 2 diabetes: A systematic review.

*Ophthalmic & Physiological Optics*. November 2008; 28(6): 503-23.

Benzie IFF, Wachtel-Galor S, eds. *Herbal medicine: Biomolecular and clinical aspects*. 2nd ed. Boca Raton, FL: CRS Press, 2011.

Brasnyo P, Molnar GA, Mohas M, Marko L, Laczy B, Cseh J, Mikolas E, Szijarto IA, Merei A, Halmi R, Meszaros LG, Sumegi B, Wittmann I. Resveratrol improves insulin sensitivity, reduces oxidative stress, and activates the Akt pathway in type 2 diabetic patients. *British Journal of Nutrition*. August 2011; 106(3): 383-389.

Centers for Disease Control and Prevention (CDC). National diabetes fact sheet: national estimates and general information on diabetes and prediabetes in the United States, 2011. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, 2011.

Chao CL, Hou YC, Chao PD, Weng CS, Ho FM. The antioxidant effects of quercetin metabolites on the prevention of high glucose-induced apoptosis of human umbilical vein endothelial cells. *British Journal of Nutrition*. April 2009; 101(8): 1165-70.

Chooi MK, Todd JK, Boyd ND. Influence of age and sex on plasma zinc levels in normal and diabetic individuals. *Nutrition & Metabolism*. 1976; 20: 135-142.

Colberg S. Diabetic athlete's handbook: Your guide to peak performance. Champaign, IL: Human Kinetics, 2009.

Crans DC. Chemistry and insulin-like properties of vanadium(IV) and vanadium(V) compounds. *Journal of Inorganic Biochemistry*. May 2000; 80(1-2): 123-131.



## References

- Crawford P. Effectiveness of cinnamon for lowering hemoglobin A1C in patients with type 2 diabetes: A randomized, controlled trial. *Journal of the American Board of Family Medicine*. 2009; 22(5): 507–12.
- Dakhale GN, Chaudhari HV, Shrivastava M. Supplementation of vitamin C reduces blood glucose and improves glycosylated hemoglobin in type 2 diabetes mellitus: A randomized, double-blind study. *Advances in Pharmacological Sciences*. 2011; 195-271.
- Davis RE, Calder JS, Curnow DH. Serum pyridoxal and folate concentrations in diabetics. *Pathology*. April 1976; 8(2): 151-156.
- Fabian E, Toscher S, Elmadfa I, Pieber TR. Use of complementary and alternative medicine supplements in patients with diabetes mellitus. *Annals of Nutrition & Metabolism*. 2011; 58(2): 101-108.
- Francescato MP, Geat M, Fusi S, Stupar G, Noacco C, Cattin L. Carbohydrate requirements and insulin concentration during moderate exercise in type 1 diabetic patients. *Metabolism*. 2004; 53: 1126-1130.
- Gupta S, Sharma TK, Kaushik GG, Shekhawat VP. Vitamin E supplementation may ameliorate oxidative stress in type 1 diabetes mellitus patients. *Clinical Laboratory*. 2011; 57(5-6): 379-386.
- Hernandez JM, Maccia T, Fluckey JD, Ulbrecht JS, Farrell PA. Fluid snacks to help persons with type 1 diabetes avoid late onset postexercise hypoglycemia. *Medicine & Science in Sports & Exercise*. 2000; 32(5): 904-991.
- Huber AM, Gershoff SN. Effect of zinc deficiency in rats on insulin release from the pancreas. *Journal of Nutrition*. 1973; 103:1739-1744.
- Jimenez CC, Corcoran MH, Crawley JT, Hornsby WG, Peer KS, Philbin RD, Riddell MC. National Athletic Trainers Association position statement: Management of the athlete with type I diabetes mellitus. October-December 2007; 42(4): 536-545.
- Kobori M, Masumoto S, Akimoto Y, Takahashi Y. Dietary quercetin alleviates diabetic symptoms and reduces streptozotocin-induced disturbance of hepatic gene expression in mice. *Molecular Nutrition and Food Research*. July 2009; 53(7): 859-68.
- Koh EH, Lee WJ, Lee SA, Kim EH, Cho EH, Jeong E, Kim DW, Kim MS, Park JY, Park KG, Lee HJ, Lee IK, Lim S, Jang HC, Lee KH, Lee KU. Effects of alpha-lipoic acid on body weight in obese subjects. *American Journal of Medicine*. January 2011; 124(1): 85.e1-8.
- Lee T, Dugoua JJ. Nutritional supplements and their effect on glucose control. *Current Diabetes Reports*. April 2011; 11(2): 142-8.
- Luong KV, Nguyen LT. The impact of thiamine treatment in the diabetes mellitus. *Journal of Clinical Medicine Research*. June 2012; 4(3): 153-160.
- Moloney MA, Casey RG, O'Donnell DH, Fitzgerald P, Thompson C, Bouchier-Hayes DJ. Two weeks taurine supplementation reverses endothelial dysfunction in young male type 1 diabetics. *Diabetes & Vascular Disease Research*. October 2010; 7(4): 300-310.
- Opara EC. Role of oxidative stress in the etiology of type 2 diabetes and the effect of antioxidant supplementation on glycemic control. *Journal of Investigative Medicine*. January 2004; 52(1): 19-23.

## References

- Opara EC, Abdel-Rahman E, Soliman S, Kamel WA, Souka S, Lowe JE, Abdel-Aleem S. Depletion of total antioxidant capacity in type 2 diabetes. *Metabolism*. November 1999; 48(11): 1414-1417.
- Page GL, Laight D, Cummings MH. Thiamine deficiency in diabetes mellitus and the impact of thiamine replacement on glucose metabolism and vascular disease. *International Journal of Clinical Practice*. June 2011; 65(6): 684-690.
- Porasuphatana S, Suddee S, Nartnampong A, Konsil J, Harnwong B, Santaweek A. Glycemic and oxidative status of patients with type 2 diabetes mellitus following oral administration of alpha-lipoic acid: A randomized double-blinded placebo-controlled study. *Asia Pacific Journal of Clinical Nutrition*. 2012; 21(1): 12-21.
- Roberts MD, Lockwood C, Dalbo VJ, Volek J, Kersick CM. Ingestion of a high-molecular-weight hydrothermally modified waxy maize starch alters metabolic responses to prolonged exercise in trained cyclists. **Nutrition**. June 2011; 27(6): 659-665.
- Rodriguez NR, DiMarco NM, Langley S; American Dietetic Association; Dietitians of Canada; American College of Sports Medicine: Nutrition and athletic performance. Position of the American Dietetic Association, Dietitians of Canada, and the American College of Sports Medicine: Nutrition and athletic performance. *Journal of the American Dietetic Association*. March 2009; 109(3): 509-527.
- Rosner F, Goefien PC. Erythrocyte and plasma zinc and magnesium levels in health and disease. *Journal of Laboratory & Clinical Medicine*. 1968; 72: 213-219.
- Sane T, Helve E, Pelkonen R, Koivisto VA. The adjustment of diet and insulin dose during long-term endurance exercise in type 1 (insulin-dependent) diabetic men. *Diabetologia*. 1988; 31(1): 37-41.
- Sasaki Y, Sone H, Kamiyama S, Shimizu M, Shirakawa H, Kagawa Y, Komai M, Furukawa Y. Administration of biotin prevents the development of insulin resistance in the skeletal muscles of Otsuka Long-Evans Tokushima fatty rats. *Food & Function*. April 2012; 3(4): 414-419.
- Satyanarayana A, Balkrishna N, Pitla S, Reddy PY, Mudili S, Lopamudra P, Suryanarayana P, Viswanath K, Ayyagari R, Reddy GB. Status of B-vitamins and homocysteine in diabetic retinopathy: association with vitamin-B12 deficiency and hyperhomocysteinemia. *PLOS ONE*. 2011; 6(11): e26747. doi:10.1371/journal.pone.0026747.
- Sing U, Jialal I. Alpha-lipoic acid supplementation and diabetes. *Nutrition Reviews*. November 2008; 66(11): 646-57.
- Singer GM, Geohas J. The effect of chromium picolinate and biotin supplementation on glycemic control in poorly controlled patients with type 2 diabetes mellitus: a placebo-controlled, double-blinded, randomized trial. *Diabetes Technology and Therapeutics*. December 2006;8(6):636-643.
- Tahiliani AG, Beinlich CJ. Pantothenic acid in health and disease. *Vitamins and Hormones*. 1991; 46: 165-228.
- Walsh PA, Roberts MA. *Pumping insulin*. San Diego: Torrey Pines Press, 2006.
- Willisky GR, Chi LH, Godzal III M, Kostyniak PJ, Smee JJ, Trujillo AM, Alfano JA, Ding W, Hu Z, Crans DC. Anti-diabetic effects of a series of vanadium diphosphate complexes in rats with streptozotocin-induced diabetes. *Coordination Chemistry Reviews*. October 2011; 255(19-20): 2258-2269.

- Wu JH, Micha R, Imamura F, Pan A, Biggs ML, Ajaz O, Djousse L, B Hu F, Mozafarian D. Omega-3 fatty acids and incident type 2 diabetes: A systematic review and meta-analysis. *British Journal of Nutrition*. June 2012; 107(Suppl2): S214-S217.
- Yeh GY, Eisenberg DM, Kaptchuk TJ, Phillips RS. Systematic review of herbs and dietary supplements for glycemic control in diabetes. *Diabetes Care*. April 2003; 26(4): 1277-1294.
- Athletes With Food Allergies or Intolerances***
- Ammon HP. Boswellic acids in chronic inflammatory diseases. *Planta Medica*. October 2006; 72(12): 1100-1116.
- Arshi S, Ghalehbaghi B, Kamrava SK, Aminlou M. Vitamin D serum levels in allergic rhinitis: Any difference from normal population? *Asia Pacific Allergy*. January 2012; 2(1): 45-48.
- Chirumbolo S. Quercetin as a potential anti-allergic drug: Which perspectives? *Iranian Journal of Allergy, Asthma, and Immunology*. June 2011; 10(2): 139-140.
- de Matos OG, Amaral SS, Pereira da Silva PE, Perez DA, Alvarenga DM, Ferreira AV, Alvarez-Leite J, Menezes GB, Cara DC. Dietary supplementation with omega-3-PUFA-rich fish oil reduces signs of food allergy in ovalbumin-sensitized mice. *Clinical & Developmental Immunology*. 2012; 2012: 236564.
- Farres MN, Shahin RY, Melek NA, El-Kabarity RH, Arafa NA. Study of folate status among Egyptian asthmatics. *Internal Medicine*. 2011; 50(3): 205-211.
- Fiocchi A, Burks W, Bahna SL, Bielory L, Boyle RJ, Cocco R, Dreborg S, Goodman R, Kuitunen M, Haahtela T, Heine RG, Lack G, Osborn DA, Sampson H, Tanock GW, Lee BW; on behalf of the WAO Special Committee on Food Allergy and Nutrition. Clinical Use of Probiotics in Pediatric Allergy (CUPPA): A World Allergy Organization position paper. *The World Allergy Organizational Journal*. November 2012; 5(11): 148-167.
- Ghayur MN, Gilani AH, Janssen LJ. Ginger attenuates acetylcholine-induced contraction and Ca<sup>2+</sup> signalling in murine airway smooth muscle cells. *Canadian Journal of Physiology & Pharmacology*. May 2008; 86(5): 264-271.
- Kivity S. Adult-onset food allergy. *Israel Medical Association Journal*. January 2012; 14(1): 70-72.
- Houssen ME, Ragab A, Mesbah A, El-Samanoudy AZ, Othman G, Moustafa AF, Badria FA. Natural anti-inflammatory products and leukotriene inhibitors as complementary therapy for bronchial asthma. *Clinical Biochemistry*. July 2010; 43(10-11): 887-90.
- Isolauri E, Rautava S, Salminen S. Probiotics in the development and treatment of allergic disease. *Gastroenterology Clinics of North America*. December 2012; 41(4): 747-62.
- Isolauri E, Salminen S. Probiotics: use in allergic disorders: a Nutrition, Allergy, Mucosal Immunology, and Intestinal Microbiota (NAMI) research group report. *Journal of Clinical Gastroenterology*. July 2008; 42 Suppl 2: S91-6.
- Lee EJ, Ji GE, Sung MK. Quercetin and kaempferol suppress immunoglobulin E-mediated allergic inflammation in RBL-2H3 and Caco-2 cells. *Inflammation Research*. October 2010; 59(10): 847-854.

## References

- Liu AH, Jaramillo R, Sicherer SH, Wood RA, Bock SA, Burks AW, Massing M, Cohn RD, Zeldin DC. National prevalence and risk factors for food allergy and relationship to asthma: results from the National Health and Nutrition Examination Survey 2005-2006. *The Journal of Allergy and Clinical Immunology*. October 2010; 126(4): 798-806.
- Maeda-Yamamoto M, Ema K, Shibuichi I. In vitro and in vivo anti-allergic effects of "benifuuki" green tea containing O-methylated catechin and ginger extract enhancement. *Cytotechnology*. December 2007; 55(2-3): 135-142.
- Matsui EC, Matsui W. Higher serum folate levels are associated with a lower risk of atopy and wheeze. *Journal of Allergy and Clinical Immunology*. June 2009; 123(6): 1253-1259.
- Murr C, Schroecksnadel K, Winkler C, Ledochowski M, Fuchs D. Antioxidants may increase the probability of developing allergic diseases and asthma. *Medical Hypotheses*. 2005; 64(5): 973-977.
- Prescott S, Nowak-Wegrzyn A. Strategies to prevent or reduce allergic disease. *Annals of Nutrition & Metabolism*. 2011; 59(S1): 28-42.
- Szajewska H. Early nutritional strategies for preventing allergic disease. *The Israel Medical Association Journal*. January 2012. 14(1):58-62.
- Von Hertzen L, Haahela T. Signs of reversing trends in prevalence of asthma. *Allergy*. 2005; 60(3): 283-292.
- Zaknun D, Schorecksnadel S, Kurz K, Fuchs D. Potential role of antioxidant food supplements, preservatives and colorants in the pathogenesis of allergy and asthma. *International Archives of Allergy and Immunology*. 2012; 157(2): 113-124.
- Zhou H, Beevers CS, Huang S. The targets of curcumin. *Current Drug Targets*. March 2011; 12(3): 332-347.
- Vegetarian Athletes**
- Bachrach LK, Guido D, Katzman D, Litt IF, Marcus R. Decreased bone density in adolescent girls with anorexia nervosa. *Pediatrics*. 1990; 86: 440-447.
- Bennel KL, Malcolm SA, Thomas SA, Ebeling PR, McCroy PR, Wark JD, & Brukner PD. Risk factors for stress fractures in female track-and-field athletes: a retrospective analysis. *Clinical Journal of Sports Medicine*. 1995; 5(4): 229-235.
- Coggan AR, Swanson SC. Nutritional manipulations before and during endurance exercise: Effects on performance. *Medicine and Science in Sports and Exercise*. 1992; 24: S331-S335.
- Craig WJ. Health effects of vegan diets. *American Journal of Clinical Nutrition*. May 2009; 89(5): 1627S-1633S.
- Craig WJ. Nutrition concerns and health effects of vegetarian diets. *Nutrition in Clinical Practice*. December 2010; 25(6): 613-620.
- Craig WJ, Mangels AR. Position of the American Dietetic Association: Vegetarian diets. *Journal of the American Dietetic Association*. July 2009; 109(7): 1266-1282.
- Toth MJ, Poehlman ET. Sympathetic nervous system activity and resting metabolic rate in vegetarians. *Metabolism*, May 1994; 43: 621-25.
- Gorbach SL, Goldin BR. Diet and the excretion and enterohepatic cycling of estrogens. *Preventive Medicine*. July 1987; 16(4): 525-531.

## References

- Nattiv A, Loucks AB, Manore MM, Sanborn CF, Sundgot-Borgen J, Warren MP. American College of Sports Medicine position stand. The female athlete triad. *Medicine and Science in Sports and Exercise*. October 2007; 39(10): 1867-1882.
- Duester PA, Day BA, Singh A, Douglass L, Moser-Veillon PB. Zinc status of highly trained women runners and untrained women. *American Journal of Clinical Nutrition*. 1989; 49: 1295-1301.
- Duester PA, Kyle SB, Moser PB, Vigersky RA, Singh A, Schoomaker EB. Nutritional intakes and status of highly trained amenorrheic and eumenorrheic women runners. *Fertility and Sterility*. 1986; 46: 636-643.
- Fuhrman J, Ferreri DM. Fueling the vegetarian (vegan) athlete. *Current Sports Medicine Reports*. July-August 2010; 9(4): 233-241.
- Goldin BR, Adlercreutz H, Gorbach SL, Warram JH, Dwyer JT, Swenson L, Woods MN. Estrogen excretion patterns and plasma levels in vegetarian and omnivorous women. *New England Journal of Medicine*. 1982; 307: 1542-1547.
- Grandjean A. The vegetarian athlete. *Physician and Sportsmedicine*. 1987; 15: 191-194.
- Harris RC, Wise JA, Price KA, Kim HJ, Kim CK, Sale C. Determinants of muscle carnosine content. *Amino Acids*. July 2012; 43(1): 5-12.
- Havala S. Vegetarian diets clearing the air. *Western Journal of Medicine*. 1994; 160: 483-485.
- Key TJ, Davey GK, Appleby PN. Health benefits of a vegetarian diet. *Proceedings of the Nutrition Society*. 1999; 58(2): 271-275.
- Herrmann W, Obeid R, Schorr H, Hübner U, Geisel J, Sand-Hill M, Ali N, Herrmann M. Enhanced bone metabolism in vegetarians--the role of vitamin B12 deficiency. *Clinical Chemistry and Laboratory Medicine*. 2009; 47(11): 1381-7.
- Hunt J, Matthys L, Hohnson L. Zinc absorption, mineral balance, and blood lipids in women consuming controlled lacto-ovo-vegetarian and omnivorous diets for 8-weeks. *American Journal of Clinical Nutrition*. 1998; 67: 421-430.
- Hurrell RF. Bioavailability of iron. *European Journal of Clinical Nutrition*. 1997; 51: S4-S8.
- Kaiserauer S, Snyder A, Sleeper M, Zierath J. Nutritional, physiological, and menstrual status of distance runners. *Medicine and Science in Sports and Exercise*. 1989; 21: 120-125.
- Kwok T, Chook P, Qiao M, Tam L, Poon YK, Ahuja AT, Woo J, Celermajer DS, Woo KS. Vitamin B-12 supplementation improves arterial function in vegetarians with subnormal vitamin B-12 status. *Journal of Nutrition, Health, and Aging*. 2012; 16(6): 569-573.
- Leitzmann C. Vegetarian diets: What are the advantages? *Forum of Nutrition*. 2005; 57: 147-156.
- Lloyd T, Buchanan J, Bitzer S, Waldman C, Myers C, Ford B. Interrelationship of diet, athletic activity, menstrual status, and bone density in collegiate women. *American Journal of Clinical Nutrition*. 1987; 46: 681-684.
- LuKaski H. Micronutrients (magnesium, zinc, and copper): Are mineral supplements needed for athletes? *International Journal of Sports Nutrition*. June 1995; 5: S74-S83.

## References

- Lukaszuk JM, Robertson RJ, Arch JE, Moyna NM. Effect of a defined lacto-ovo-vegetarian diet and oral creatine monohydrate supplementation on plasma creatine concentration. *Journal of Strength and Conditioning Research*. November 2005; 19(4): 735-740.
- McCabe MP, Smyth MP, Richardson DR. Current concept review: vitamin D and stress fractures. *Foot and Ankle International*. June 2012; 33(6): 526-33.
- Myburgh KH, Hutchins J, Fataar AB, Hough SF, Noakes TD. Low bone density is an etiologic factor for stress fractures in athletes. *Annals of Internal Medicine*. 1990; 113: 754-759.
- Nelson M, Fisher E, Catsos P, Meredith C, Turksoy R, Evans W. Diet and bone status in amenorrheic runners. *American Journal of Clinical Nutrition*. 1986; 43: 910-916.
- Pettersson U, Stalnacke B, Ahlenius G, Henricksson-Larsen K, Lorentzon R. Low bone mass density at multiple skeletal sites, including the appendicular skeleton in amenorrheic runners. *Calcified Tissue International*. 1999; 62(2): 117-125.
- Raben A, Kiens B, Richter EA, Rasmussen LB, Svenstrup B, Micic S, Bennett P. Serum sex hormones and endurance performance after a lacto-ovo vegetarian and a mixed diet. *Medicine and Science in Sports and Exercise*. 1992; 24: 1290-1297.
- Talbott SM, Rothkopf MM, Shapses SA. Dietary restriction of energy and calcium alters bone turnover and density in younger and older female rats. *Journal of Nutrition*. 1998; 128(3): 640-645.
- Tomten SE, Falch JA, Birkeland KI, Hemmersbach P, Hostmark AT. Bone mineral density and menstrual irregularities: A comparative study on cortical and trabecular bone structures in runners with alleged normal eating behavior. *International Journal of Sports Medicine*. 1998; 19(2): 92-97.
- Venderley AM, Campbell WW. Vegetarian diets: Nutritional considerations for athletes. *Sports Medicine*. 2006; 36(4): 293-305.
- Wada L, King J. Effect of low zinc intakes on basal metabolic rate, thyroid hormones, and protein utilization in adult men. *Journal of Nutrition*. 1986; 48(116): 1045-1053.
- Willmore J, Costill D. *Physiology of sport and exercise*. 2nd ed. Champaign, IL: Human Kinetics, 1999.
- World Health Organization Technical Report Series 724. *Energy and protein requirements*. Report of a joint FAO/WHO/UNU expert consultation. Geneva: World Health Organization, 1985.
- Yaeger KK, Agostini R, Nattiv R, Drinkwater B. Female athlete triad: Disordered eating, amenorrhea, osteoporosis. *Medicine and Science in Sports and Exercise*. 1993; 25: 775.
- Zanker CL, Swaine IL. The relationship between bone turnover, oestrogen, and energy balance in women distance runners. *British Journal of Sports Medicine*. 1998; 32(2): 167-171.
- Yu-Yahiro JA. Electrolytes and their relationship to normal and abnormal muscle function. *Orthopaedic Nursing*. September-October 1994; 13(5): 38-40.
- Athletes Competing in Hot and Cold Environments**
- Clarke ND, Maclaren DP, Reilly T, Drust B. Carbohydrate ingestion and pre-cooling improves exercise capacity following soccer-specific intermittent exercise performed in the heat. *European Journal of Applied Physiology*. 2011; 111: 1447-1455.

## References

- Godek S, Bartolozzi A, Godek J. Sweat rate and fluid turnover in American football players compared with runners in a hot and humid environment. *British Journal of Sports Medicine*. 2005; 39: 205-211.
- Lorenzo S, Halliwill JR, Sawka MN, Minson CT. Heat acclimation improves exercise performance. *Journal of Applied Physiology*. 2010; 109: 1140-1147.
- Maughan RJ. Distance running in hot environments: A thermal challenge to the elite runner. *Scandinavian Journal of Medicine & Science in Sports*. 2010; 20(suppl. 3): 95-102.
- Maughan RJ, Shirreffs SM. Dehydration and rehydration in competitive sport. *Scandinavian Journal of Medicine & Science in Sports*. 2010; 20(Suppl 3): 40-47.
- Maughan RJ, Watson P, Shirreffs SM. Heat and cold; What does the environment do to the marathon runner? *Sports Medicine*. 2007; 37(4-5): 396-399.
- Pitsiladis YP, Maughan RJ. The effects of exercise and diet manipulation on the capacity to perform prolonged exercise in the heat and in the cold in trained humans. *Journal of Physiology*. 1999; 517(3): 919-930.
- Walsh NP, Whitham M. Exercising in environmental extremes: A greater threat to immune function? *Sports Medicine* 2006; 36(11): 941-976.
- Athletes Competing at Altitude**
- Askew, EW. Work at high altitude and oxidative stress: antioxidant nutrients. *Toxicology* 2002; 180(2): 107-119.
- Balsom PD, Wood K, Olsson P, Ekblom B. Carbohydrate intake and multiple sprint sports: with special reference to football (soccer). *International Journal of Sports Medicine* 1999; 20(1): 48-52.
- Hagobian TA, Jacobs KA, Subudhi AW, Fattor JA, Rock PB, Muza SR, Fulco CS, Braun B, Grediagin A, Mazzeo RS, Cymerman A, Friedlander AL. Cytokine responses at high altitude: Effects of exercise and antioxidants at 4300m. *Medicine & Science in Sports & Exercise*. 2006; 38(2): 276-285.
- Kechijian D. Optimizing nutrition for performance at altitude: A literature review. *Journal of Special Operations Medicine*. 2011; 11(1): 12-17.
- Lundby C. Going to altitude? Bring your vitamins. *Journal of Physiology* 2010; 588(23): 4603-4604.
- Millet G, Roels B, Schmitt L, Woorons X, Richalet J. Combining hypoxic methods for peak performance. *Sports Medicine*. 2010; 40: 1-25.
- Oliver SJ, Golja P, Macdonald JH. Carbohydrate supplementation and exercise performance at high altitude: A randomized controlled trial. *High Altitude Medicine and Biology*. 2012; 13(1): 22-31.
- Robertson EY, Saunders PU, Pyne DB, Gore CJ, Anson JM. Effectiveness of intermittent training in hypoxia combined with live high/train low. *European Journal of Applied Physiology*. 2010; 110: 379-387.
- Saunders PU, Pyne DB, Gore CJ. Endurance training at altitude. *High Altitude Medicine and Biology*. 2009; 10(2): 135-148.
- Schmidt MC, Askew EW, Roberts DE, Prior RL, Ensign Jr. WY, Hesslink Jr RE. Oxidative stress in humans training in a cold, moderate altitude environment and their response to a phytochemical antioxidant supplement. *Wilderness Environmental Medicine*. 2002; 13(2): 94-105.

## References

- Subudhi AW, Jacobs KA, Hagobian TA, Fattor JA, Fulco CS, Muza SR, Rock PB, Hoffman AR, Cymerman A, Friedlander AL. Antioxidant supplementation does not attenuate oxidative stress at high altitude. *Aviation, Space, & Environmental Medicine*. 2004; 75(10): 881-888.
- Westerterp KR, Kayser B. Body mass regulation at altitude. *European Journal of Gastroenterology & Hepatology*. 2006; 18(1): 1-3.
- Wehrlin JP, Hallen J. Linear decrease in  $VO_2$  max and performance with increasing altitude in endurance athletes. *European Journal of Applied Physiology*. 2006; 96: 404-412.